Journal of Applied Polymer Science

Author Index to Volume 66

Abdel-Hakim, A. A. See Moustafa, A. B., 711
Abdel-Mohdy, F. A. See Hebeish, A., 1029
Acevedo, M. A. See Rodriguez, F., 1787
Adhikari, B. See Ghosh, A. K., 683
Agarwal, S.
—; Sumana, G.; Gupta, D. C.: Poly(2-hydroxyethyl methacrylate)-Based Hydrogels for Slow Release of Pralidoxime Chloride, 267
Aggarwal, S. K. See Tripathi, V. S., 1613
Agranova, S. A. See Polotskaya, G. A., 1439
Ahn, K.-D. See Kim, S.-T., 2507
Aiba, S. See Nakayama, A., 741
Akilli, M. M. See Eroğlu, M. S., 355
Akiyama, R. See Tanaka, K., 1079
Akrman, J.
—; Pøikryl, J.: Dyeing Behavior of Polypropylene Blend Fiber II. Ionic Exchange Mechanism of Dyeing, 543
Albertsson, A.-C. See Hakkarainen, M., 959
Ali, K. M. I.
—; Khan, M. A.; Rahman, M.; Ghani, M.: Ultraviolet Curing of Epoxy Coating on Wood Surface, 1997
Allal, A. See Nassiet, V., 179
Alperstein, D. See Zilberman, M., 243
Alvila, L. See Holopainen, T., 1183
Aly, A. S. See Hebeish, A., 1029
Am Ende, D. J. See Peppas, N. A., 509
Aminabhavi, T. M.
—; Harlapur, S. F.; Aralaguppi, M. I.: A Study on Molecular Transport of Organic Esters and Aromatics into Viton Fluoropolymers, 717
Amouroux, J. See Placinta, G., 1367
Andresen, J. M. See Sirkecioglu, O., 663
An, J. H. See Ha, H.-J., 1899
Antonova, T. A. See Polotskaya, G. A., 1439
Aralaguppi, M. I. See Aminabhavi, T. M., 717
Aranguren, M. See Auad, M. L., 1059
Aravindakshan, P.
—; Bhatt, A.; Kumar, V. G.: Matrix-Induced Variation in Kinetics and Control of Molecular Weight of Methacrylic Acid Polymers During Graft Copolymerization with Starch, 397
Arefi-Khonsari, F. See Placinta, G., 1367
Arrington, D. See Chekanov, Y., 1209
Arvanitoyannis, I. See Nakayama, A., 741
Asua, J. M. See Lam, S., 187; Unzué, M. J., 1803
Ateia, E.
Electrical Conductance of Irradiated NBR/LDPE Conductive Blend during Swelling in Benzene, 1639
Athawale, V. D.
—; Rathi, S. C.: Syntheses and Characterization of Starch–Poly (methacrylic acid) Graft Copolymers, 1399
Auad, M. L.
—; Aranguren, M.; Borrajo, J.: Epoxy-Based Divinyl Ester Resin/styrene Copolymers: Composition Dependence of the Mechanical and Thermal Properties, 1059
Ayçik, G. A. See Güler, H., 2475

Babu, S. V. See Visser, S. A., 409
Baird, D. G. See Brandom, D. K., 1543
Balatinecz, J. J. See Kazayawoko, M., 1163
Banu, D. See Feldman, D., 1731
Barbani, N. See Cascone, M.-G., 2089
Barrales-Rienda, J. M. See Callejo Cudero, M. J., 2409
Baruzzi, G. See Galli, P., 1831
Beinlich, K. C. See Kharas, G. B., 1123
Bell, J. P. See Zhang, X., 1667
Bernède, J. C. See Samir, F., 1839
Beyreuther, R. See Schmack, G., 377
Bhatt, A. See Aravindakshan, P., 397
Bhattacharya, A. K. See Kundu, P. P., 1759
Bhattacherjee, S. See Sao, K. P., 2045
Bhowmick, A. K. See De Sarkar, M., 1151
Birkinshaw, C. See Donnelly, A., 989
Bogdal, D.
—; Pielichowski, J.; Boron, A.: The Application of Diol Dimethacrylates in Dental Composites and Their Influence on Polymerization Shrinkage, 2333
Bonnet, A. See Samir, F., 1839
Boron, A. See Bogdal, D., 2333
Borrajo, J. See Auad, M. L., 1059
Boynton, M. J.
—; Lee, A.: Fracture of an Epoxy Polymer Containing Recycled Elastomeric Particles, 271
Brahma Kumar, M. See Pillai, C. K. S., 2157
Brandom, D. K.
—; deSouza, J. P.; Baird, D. G.; Wilkes, G. L.: New Method for Producing High-Performance Thermoplastic Polymeric Foams, 1543
Braunstein, G. See Visser, S. A., 409
Brooks, B. W. See Liu, Z., 2191

Bruggeman, A.
—; Damman, S. B.; Tinnemans, A. H. A.: Synthesis, Thermal, and Mechanical Characterization of Liquid-Crystalline Polyhydroxyethers, 1971
Brunelle, D. J. See Krabbenhoft, H. O., 2251
Brust, G. See Chekanov, Y., 1209
Burgisi, G.
—; Paternoster, M.; Peduto, N.; Saraceno, A.: Toughness Enhancement of Polyamide 6 Modified with Different Types of Rubber: The Influence of Internal Rubber Cavitation, 777
Buruiana, E. C. See Robila, G., 591
Buruiana, T. See Robila, G., 591

Caldwell, G.
—; Neuse, E. W.; Perlwitz, A. G.: Water Soluble Polyamides as Potential Drug Carriers. IX. Polyaspartamides Grafted with Amine-Terminated Poly(ethylene oxide) Chains, 911
Callejo Cudero, M. J.
—; López-González, M. M. C.; Carazo Chico, E.; Barrales-Rienda, J. M.: Synthesis of Polyesters as Binders for Deinkable Inks. II. Kinetics and Mechanism of Polyesterification Between *o*-Phthalic Anhydride and Neopentyl Glycol in Bulk at 200°C, 2409
Cameron, R. E. See Norton, E., 1681
Canché-Escamilla, G.
—; Rodríguez-Trujillo, G.; Herrera-Franco, P. J.; Mendizábal, E.; Puig, J. E.: Preparation and Characterization of Henequen Cellulose Grafted with Methyl Methacrylate and Its Application in Composites, 339
Canpolat, M. See Pekcan, Ö., 655
Carazo Chico, E. See Callejo Cudero, M. J., 2409
Carriere, C. J.
—; Silvis, H. C.: The Effects of Short-Chain Branching and Comonomer Type on the Interfacial Tension of Polypropylene–Polyolefin Elastomer Blends, 1175
Cascone, M.-G.
—; Polacco, G.; Lazzeri, L.; Barbani, N.: Dextran/Poly(acrylic acid) Mixtures as Miscible Blends, 2089
Cassagnau, P. See Nassiet, V., 179
Castaño, V. M. See Nicho, M. E., 861
Caywood, G. A. See Kharas, G. B., 1123
Cecchin, G. See D'Orazio, L., 2377
Cerveny, S. See Marzocca, A. J., 1085
Chang, C. C. See Chen, W. C., 2103
Chang, J.-C. See Lee, J. H.-J., 551
Chang, M.-J.
—; Myerson, A. S.; Kwei, T. K.: The Effect of Hydrogen Bonding on Vapor Diffusion in Water-Soluble Polymers, 279
Chao, D. Y. See Jou, C. C., 981
Chekanov, Y.
—; Arrington, D.; Brust, G.; Pojman, J. A.: Frontal Curing of Epoxy Resins: Comparison of Mechanical and Thermal Properties to Batch-Cured Materials, 1209
Che, M. See Grellman, W., 1237
Chen, C.-F. See Lee, W.-F., 95
Chen, D. See Fu, H., 1515
Cheng, S. See Xu, Z., 1
Chen, H.-C.
Dyeing of Glass Fiber Fabrics Having Amino Groups with Acid Dyestuff and After-Chroming, 1039
Chen, J.
—; Chen, K.; Zhang, H.; Wei, W.; Nie, L.; Yao, S.: The Study of Diffusion of Solvents from the Coating Films During the Curing Process by Bulk Acoustic Wave Admittance Analysis, 563
Chen, J.-Y.
—; Tucker, P. A.; Cuculo, J. A.: High-Performance PET Fibers Via Liquid Isothermal Bath High-Speed Spinning: Fiber Properties and Structure Resulting from Threadline Modification and Posttreatment, 2441
Chen, K. See Chen, J., 563
Chen, R. H.
—; Tsaih, M. L.: Effect of Preparation Method and Characteristics of Chitosan on the Mechanical and Release Properties of the Prepared Capsule, 161
Chen. S. See Fu, H., 1515
Chen, T. See Wang, Q., 789, 799, 1745, 1751
Chen, W. C.
—; Chang, C. C.; Wang, N. H.: Characteristics of Polymer Light Conduits From Different Manufacturing Processes, 2103
Chen, X.
—; Chen, Y.: Studies on Active Center Concentration in Photopolymerization of Cyclohexene Oxide Initiated with Iron–Arene Complex (note), 2551
Chen, X. See Jia, W., 1885
Chen, Y. See Chen, X., 2551; Zhang, L., 2543
Chiu, W.-Y. See Denq, B.-L., 1847, 1855
Choi, H. D.
—; Moon, K. S.; Jeon, I. S.; Kim, W. S.; Moon, T. J.: Frequency Dispersion Model of the Complex Permeability of the Epoxy–Ferrite Composite, 477
Choi, J. H. See Han, S. S., 1583
Choi, M.-J. See Park, C.-K., 483
Chung, C.-M. See Kim, S.-T., 2507
Chung, T.-S.
—; Hu, X.: The Effect of Air-Gap Distance on the Morphology and Thermal Properties of Polyethersulfone Hollow Fibers, 1067
Clarke, J.
—; Petera, J.: Determination of Steady-State Elongational Viscosity for Rubber Compounds Using Bell-Mouthed Dies, 1139

Coleman, M. R. See Xu, X., 459
Collina, G. See Galli, P., 1831
Cong, G. See Liao, B., 1561
Coutinho, F. M. B. See Da Silva, A. L. N., 2005
Crawford, E. See Lesser, A. J., 387
Creber, K. A. M. See Knaul, J. Z., 117
Cros, P. See Ferraton, N., 233
Cruz, R. See Marquez, A., 2221
Cuamatzi, F. See Manzur, A., 105
Cuculo, J. A. See Chen, J.-Y., 2441
Curreli, N.
—; Oliva, S.; Rescigno, A.; Rinaldi, A. C.; Sollai, F.; Sanjust, E.: Novel Diazonium-Functionalized Support for Immobilization Experiments, 1433

Damman, S. B. See Bruggeman, A., 1971
Daniels, E. S. See Mohammed, S., 1869
Da Silva, A. L. N.
—; Tavares, M. I. B.; Politano, D. P.; Coutinho, F. M. B.; Rocha, M. C. G.: Polymer Blends Based on Polyolefin Elastomer and Polypropylene, 2005
Dave, V. See Labrecque, L. V., 1507
Davé, V. See Sheth, M., 1495
De Graauw, J. See Van Zee, G., 347
Delair, Th. See Ferraton, N., 233
Deng, X. See Li, X., 583
Denq, B.-L.
—; Chiu, W.-Y.; Lin, K.-F.: Kinetic Model of Thermal Degradation of Polymers for Nonisothermal Process, 1855
—; Chiu, W.-Y.; Tseng, H.-C.: Influence of Edge Distance Ratio and Hole Size Ratio on Bearing Strength of Poly(ether ether ketone) and Its Composites, 1847
Depke, N. See Srivastava, A. P., 725
De, P. P. See De Sarkar, M., 1151; Singha, N. K., 1647
De Sarkar, M.
—; De, P. P.; Bhowmick, A. K.: Thermoplastic Elastomeric Hydrogenated Styrene–Butadiene Elastomer: Optimization of Reaction Conditions, Thermodynamics, and Kinetics, 1151
deSouza, J. P. See Brandom, D. K., 1543
Díaz-Nájera, L. M. See Nuño-Donlucas, S. M., 879
Dole, P. See Dolveck, J. Y., 435
Dolveck, J. Y.
—; Dole, P.; Joly, C.: A Simulation of Gas Transport in Polymeric Membranes. Application to Heterogeneous Aging, 435
Donald, A. M. See Jenkins, P. J., 225
Dong, J. H. See Huang, Z. H., 853
Donnelly, A.
—; Ohara, T.; Birkinshaw, C.: Characterization of the Physical and Molecular Structure of Thermally Elongating Poly(ethylene terephthalate) Fibers, 989
D'Orazio, L.
—; Guarino, R.; Mancarella, C.; Martuscelli, E.; Cecchin, G.: Isotactic Polypropylene/Polymethylmethacrylate Blends: Effects of Addition of Propylene-*Graft*-Methylmethacrylate Copolymer, 2377
Dounis, D. V.
—; Wilkes, G. L.: Effect of Toluene Diisocyanate Index on Morphology and Physical Properties of Flexible Slabstock Polyurethane Foams, 2395
Drouillon, P. See Trifonova, D., 515
Du, C.
—; Ma, L.; Xu, Y.; Li, W.: Synthesis and Fluorescent Properties of Europium–Polymer Complexes Containing Naphthoate and 1.10-Phenanthroline Ligands, 1405
Dutra, R. C. L.
—; Soares, B. G.; Gorelova, M. M.; Silva, J. L. G.; Lourenço, V. L.; Ferreira, G. E.: Polyblend Fibers from Polypropylene and Mercapto-Modified EVA, 2243
Dutta, N. K.
—; Edward, G. H.: Generic Relaxation Spectra of Solid Polymers. I. Development of Spectral Distribution Model and Its Application to Stress Relaxation of Polypropylene, 1101

Easawi, K. H. See Fouda, I. M., 695
Eckstein, K. See Häußler, L., 2293
Edward, G. H. See Dutta, N. K., 1101
El-Aasser, M. S. See Mohammed, S., 1869
El-Tonsy, M. M. See Fouda, I. M., 695
Elyashevich, G. K. See Polotskaya, G. A., 1439
Erman, B. See Nugay, N., 1943
Eroğlu, M. S.
—; Akilli, M. M.; Güven, O.: Spectroscopic, Thermal, and Mechanical Characterization of Carboxyl-Terminated Polybutadiene-Based Carbon Black-Filled Networks, 355

Fan-Chiang, C. C. See Yeh, J. T., 2517
Fang, W.-C. See Ma, C.-C. M., 57, 67
Favela, E. See Manzur, A., 105
Feigenbaum, A.
—; Laoubi, S.; Vergnaud, J. M.: Kinetics of Diffusion of a Pollutant From a Recycled Polymer Through a Functional Barrier: Recycling Plastics for Food Packaging, 597
Feldman, D.
—; Banu, D.: Contribution to the Study of Rigid PVC Polyblends with Different Lignins, 1731
Feller, J. F. See Linossier, I., 2465
Feltz, B. See Mortaigne, B., 1703
Ferraton, N.
—; Delair, Th.; Laayoun, A.; Cros, P.; Mandrand, B.: Covalent Immobilization of Nucleic Acid Probes onto Reactive Synthetic Polymers, 233

Ferreira, G. E. See Dutra, R. C. L., 2243
Fois, M.
—; Lamure, A.; Guuinic, P.; Lacabanne, C.: TSC Study of Secondary Dielectric Relaxations in a Polyepoxy Matrix Composite, 135
Forcada, J. See Unzueta, E., 445
Fornalik, J. See Visser, S. A., 409
Fortelny, I. See Kelnar, I., 555
Fouda, I. M.
—; El-Tonsy, M. M.; Hosny, H. M.; Metawe, F. M.; Easawi, K. H.: Optothermal Properties of Fibers. X. Temperature Dependence of the Skin–Core Structure of Nylon-6 Fibers, 695
Fraga, F. See Núñez, L., 1377
Francis, L. F. See Payne, J. A., 1267
Freeman, C. E. See Marks, M. J., 1821
Friedrich, K. See Heino, M., 2209; Pistor, C., 1985
Fu, H.
—; Li, G.; Chen, D.; Ma, H.; Xie, M.; Chen. S.: Studies on the Laser Degradation of the $CHCl_3$ Solution of Polysilane, 1515
Fukami, N. See Okubo, M., 1461

Gaillard, F. See Linossier, I., 2465
Galeski, A. See Kowalewski, T., 2047
Galiatsatos, V. See Park, D., 901
Galli, P.
—; Collina, G.; Sgarzi, P.; Baruzzi, G.; Marchetti, E.: Combining Ziegler-Natta and Metallocene Catalysis: New Heterophasic Propylene Copolymers from the Novel Multicatalyst Reactor Granule Technology, 1831
Ganesh, K.
—; Latha, R.; Kishore, K.; George, B.; Ninan, K. N.: Stabilization of Thermal Degradation of Poly(methyl methacrylate) by Polysulfide Polymers, 2149
Gao, J. See Zhang, L., 2543
Garcia, R. See Pizzi, A., 255
Gehrke, S. H. See O'Connor, S. M., 1279
George, B. See Ganesh, K., 2149
Ghanem, A. See Trifonova, D., 515
Ghani, M. See Ali, K. M. I., 1997
Gheorghiu, M. See Placinta, G., 1367
Ghosh, A. K.
—; Maiti, S.; Adhikari, B.; Ray, G. S.; Mustafi, S. K.: Effect of Modified Carbon Black on the Properties of Natural Rubber Vulcanizate, 683
Gibov, K. M.
—; Mamleev, V. Sh.: The Kinetics of Crosslinking in Process of Intumescence of Fireproof Polymer Compositions, 329
—; See Mamleev, V. Sh., 319
Gilbert, M. See Rodríguez Fernández, O. S., 2111, 2121
Goebel, K.-H. See Unzué, M. J., 1803
Goñi, A. M. See Unzué, M. J., 1803
González, G. See Mansur, C. R. E., 1767
González-Núñez, R. See Nuño-Donlucas, S. M., 879
Gorelova, M. M. See Dutra, R. C. L., 2243
Goto, K. See Yoshida, Y., 367
Goto, Y. See Inagaki, N., 77
Gradwell, M. H. S.
—; Hendrikse, K. G.; McGill, W. J.: The Reactions of 2-(4-Morpholinothio)- and 2-(4-Morpholinodithio)-benzothiazole in the Presence of Polyisoprene, 1093
Graebling, D.
—; Lambla, M.; Wautier, H.: PP/PE Blends by Reactive Extrusion: PP Rheological Behavior Changes, 809
Grellman, W.
—; Che, M.: Assessment of Temperature-Dependent Fracture Behavior with Different Fracture Mechanics Concepts on Examples of Unoriented and Cold-Rolled Polypropylene, 1237
Gross, R. A. See Labrecque, L. V., 1507; Sheth, M., 1495
Guan, G.-H. See Li, X.-G., 2129
Guarino, R. See D'Orazio, L., 2377
Gu, J.-T. See Ma, C.-C. M., 57, 67
Güler, H.
—; Şhiner, N.; Ayçik, G. A.; Güven, O.: Development of Novel Adsorbent Materials for Recovery and Enrichment of Uranium from Aqueous Media, 2475
Guo, H.
—; Hamielec, A. E.; Zhu, S.: Experimental Study of Emulsion Polymerization with Crosslinking, 935
Gupta, D. C. See Agarwal, S., 267
Gupta, K. C.
Synthesis and Evaluation of Aromatic Polyamide Membranes for Desalination in Reverse-Osmosis Technique, 643
Gupta, N. See Pande, C. S., 847
Gupta, S. K. See Verma, S. K., 2059
Gu, Q.-C.
—; Xu, H.-S.: Conductive Bilayer Polymer Films Formed by Polyaniline and Polymeric Ionic Conductor, 537
Gürdağ, G.
—; Yaşar, M.; Gürkaynak, M. A.: Graft Copolymerization of Acrylic Acid on Cellulose: Reaction Kinetics of Copolymerization, 929
Gürkaynak, M. A. See Gürdağ, G., 929
Guuinic, P. See Fois, M., 135
Güven, O. See Eroğlu, M. S., 355; Güler, H., 2475; Karadağ, E., 733

Haba, Y. See Titelman, G. I., 2199; Zilberman, M., 243
Ha, H.-J.
—; Park, Y.-J.; An, J. H.; Kim, J.-H.: Influence of Microstructure on Dynamic Mechanical Property of Emulsion Blend Containing Heterocoagulated Composite Particles, 1899
Hakkarainen, M.
—; Albertsson, A.-C.; Karlsson, S.: Susceptibility of Starch-Filled and Starch-Based LDPE to

Oxygen in Water and Air, 959
Hamielec, A. E. See Guo, H., 935
Hancock, L. F.
Phase Inversion Membranes With an Organized Surface Structure From Mixtures of Polysulfone and Polysulfone–Poly(ethylene oxide) Block Copolymers, 1353
Han, S. S.
—; Yoon, W. S.; Choi, J. H.; Kim, S. Y.; Lyoo, W. S.: Effect of Zone Drawing Accompanied with Crosslinking on the Structure and Properties of Ultrahigh Molecular Weight Polyethylene Gel Film, 1583
Hao, S. See Liu, Z., 997
Harlapur, S. F. See Aminabhavi, T. M., 717
Harmia, T. See Heino, M., 2209
Haseebuddin, S.
—; Raju, K. V. S. N.; Yaseen, M.: Concentration Dependence on Viscosity of Oligourethane Diols, 1343
Hashim, K. See Mascia, L., 1911
Hashimoto, K. See Nonaka, T., 209
Häußler, L.
—; Pospiech, D.; Eckstein, K.; Janke, A.; Vogel, R.: The Effect of Multiblock Copolymers in Polymer Blends, 2293
—; See Lappan, U., 2287
Ha, W. S. See Youk, J. H., 1575
Hay, A. S. See Meng, Y. Z., 1425
Hebeish, A.
—; Waly, A.; Abdel-Mohdy, F. A.; Aly, A. S.: Synthesis and Characterization of Cellulose Ion Exchangers. I. Polymerization of Glycidyl Methacrylate, Dimerhyl–Aminoethyl Methacrylate, and Acrylic Acid with Cotton Cellulose Using Thiocarbonate–H_2O_2 Redox System, 1029
Hedrick, J. L. See Volksen, W., 199
He, F. See Yuan, X., 1521
Heino, M.
—; Hietaoja, P.; Seppälä, J.; Harmia, T.; Friedrich, K.: Studies on Fracture Behavior of Tough PA6/PP Blends, 2209
Hellgren, A. C. See Lam, S., 187
Hendrikse, K. G. See Gradwell, M. H. S., 1093
Her, N.-L. See Mi, F.-L., 2495
Herrera-Franco, P. J. See Canché-Escamilla, G., 339
He, T. See Wang, Q., 789, 799, 1745, 1751
Hewitt, C. E. See Visser, S. A., 409
He, X. See Liang, B., 217
Hietaoja, P. See Heino, M., 2209
Hirotsu, T.
—; Nugroho, P.: Surface Coating Protective against Oxidative Plasma Etching of Polypropylene, 1049
Hofmann, H. See Schmack, G., 377
Ho, K. S. See Hsu, W. P., 2095
Holmberg, K. See Lam, S., 187
Holmberg, K. See Unzué, M. J., 1803
Holopainen, T.
—; Alvila, L.; Rainio, J.; Pakkanen, T. T.: Phenol–Formaldehyde Resol Resins Studied by ^{13}C-NMR Spectroscopy, Gel Permeation Chromatography, and Differential Scanning Calorimetry, 1183
Hong, D. S. See Kim, K. J., 1195
Hosny, H. M. See Fouda, I. M., 695
Hourston, D. J.
—; Williams, G.; Satguru, R.; Padget, J. D.; Pears, D.: A Structure–Property Study of Polyurethane Anionmers Based on Various Polyols and Diisocyanates, 2035
Hsu, W.-P.
Influence of Tacticity of Poly(methyl methacrylate) on the Compatibility with Poly(vinyl phenol), 1773
Hsu, W. P.
—; Ho, K. S.: Solvent Diffusion in a Modified Polyaniline, 2095
Huang, B. See Liu, S., 1715; Wang, Q., 789, 799, 1745, 1751
Huang, J. See Mai, K., 1965
Huang, M.-R. See Li, X.-G., 2129, 2139
Huang, Y. See Liao, B., 1561
Huang, Z. H.
—; Dong, J. H.; Qiu, K. Y.; Wei, Y.: New Hybrid Materials Incorporating Tetrabutyl Titanate and Tetraethoxysilane with Functional SEBS Elastomer via the Sol–Gel Process: Synthesis and Characterization, 853
Huanosta, A. See Nicho, M. E., 861
Hu, A. T. See Lee, J. H.-J., 551
Hunkeler, D.
—; Spychaj, T.; Zhu, S.: Improved Accuracy and Precision in the Light-Scattering Characterization of Homo- and Copolymers in THF, 1303
Hu, X. See Chung, T.-S., 1067

Idriss Ali, K. M.
—; Khan, M. A.; Islam, M. N.: Upgrading of Wet Blue Leather Surface by UV Cured Coating, 11
Ikawa, T.
—; Shiga, T.; Okada, A.: Fluorescence from Poly(*N*-vinylcarbazole) in Uniaxially Stretched Polymer Films, 1569
Inagaki, N.
—; Tasaka, S.; Goto, Y.: Surface Modification of Poly(tetrafluoroethylene) Film by Plasma Graft Polymerization of Sodium Vinylsulfonate, 77
Iroh, J. O.
—; Jordan, K.: Rate of Imidization of Polymerizable Reaction Mixtures: PMR-15, 2529
—; Su, W.: Effect of Process Parameters on the Electropolymerization Potential and Rate of Formation of Polypyrrole on Stainless Steel, 2433
Ishikawa, T. See Takeda, K., 2279
Islam, M. N. See Idriss Ali, K. M., 11
Ito, A. See Okubo, M., 1461

Ivanoiu, M. See Robila, G., 591

Jain, S. R. See Sekkar, V., 1795
Jakisch, L. See Kelnar, I., 555
Janke, A. See Häußler, L., 2293
Jayakumari, V. G. See Pillai, C. K. S., 2157
Jenkins, P. J.
—; Donald, A. M.: Breakdown of Crystal Structure in Potato Starch During Gelatinization, 225
Jeon, I. S. See Choi, H. D., 477
Jian, X. G. See Meng, Y. Z., 1425
Jia, W.
—; Chen, X.: Effect of Polymer–Filler Interactions on PTC Behaviors of LDPE/EPDM Blends Filled with Carbon Blacks, 1885
—; See Li, X., 583
Joly, C. See Dolveck, J. Y., 435
Jone, H.-C. See Wu, H.-S., 2021
Jordan, K. See Iroh, J. O., 2529
Jou, C. C.
—; Kuo, Y. M.; Wang, N. H.; Chao, D. Y.: Effect of Dimethyldichlorosilane on the Oxygen Permeated Through a Siloxane-Based Polyurethane Ionomer, 981
Jo, W.H. See Youk, J. H., 1575
Jyono, K. See Nonaka, T., 1621

Kalika, D. S. See Mehta, R. H., 2347
Kamenetsky, M. See Kharas, G. B., 1123
Karadağ, E.
—; Saraydin, D.; Güven, O.: Interaction of Nicotine and Its Pharmaceutical Derivatives with Acrylamide/Itaconic Acid Hydrogels, 733
Karlsson, S. See Hakkarainen, M., 959
Kato, M.
—; Usuki, A.; Okada, A.: Synthesis of Polypropylene Oligomer–Clay Intercalation Compounds, 1781
Kawakage, S. See Ogata, N., 573
Kawasaki, N. See Nakayama, A., 741
Kazayawoko, M.
—; Balatinecz, J. J.; Woodhams, R. T.: Diffuse Reflectance Fourier Transform Infrared Spectra of Wood Fibers Treated with Maleated Polypropylenes, 1163
Kelnar, I.
—; Stephan, M.; Jakisch, L.; Fortelny, I.: Reactive Blending of Nylon 6 and Modified Poly(styrene-*co*-maleic anhydride); Influence of Poly(styrene-*co*-maleic anhydride) Modification by Fatty Amine onto Blend Properties, 555
Kennedy, J. P. See Park, D., 901
Keszler, B. See Park, D., 901
Ketelaars, A. A. J.
—; Papantoniou, Y.; Nakayama, K.: Analysis of the Density and the Enthalpy of Poly-(ε-caprolactone)–Polycarbonate Blends: Amorphous Phase Compatibility and the Effect of Secondary Crystallization, 921
Khan, M. A. See Ali, K. M. I., 1997; Idriss Ali, K. M., 11
Kharas, G. B.
—; Kamenetsky, M.; Simantirakis, J.; Beinlich, K. C.; Rizzo, A.-M. T.; Caywood, G. A.; Watson, K.: Synthesis and Characterization of Fumarate-Based Polyesters for Use in Bioresorbable Bone Cement Composites, 1123
Khorramian, B. See Reich, L. S., 891
Killian, P. D. See Rodriguez, F., 2015
Kim, B. K.
—; Yoon, L. K.; Xie, X.-M.: Effects of Annealing in ABS Ternary Blends, 1531
Kim, B. S. See Yoon, T., 2233
Kim, J.
—; Kim, P.; Lee, H.: The Syntheses and Gas-Transport Properties of Alkylsilane-Modified SBS Membranes, 1117
Kim, J.-B. See Kim, S.-T., 2507
Kim, J.-H. See Ha, H.-J., 1899
Kim, K. J.
—; Hong, D. S.; Tripathy, A. R.: Kinetics of Adiabatic Anionic Copolymerization of ε-Caprolactam in the Presence of Various Activators, 1195
Kim, P. See Kim, J., 1117
Kim, S.-T.
—; Kim, J.-B.; Chung, C.-M.; Ahn, K.-D.: Polymerization of *N*-(*tert*-butyldimethylsilyloxy)maleimide and Applications of the Polymers as Resist Materials, 2507
Kim, S. Y. See Han, S. S., 1583
Kim, W. S. See Choi, H. D., 477
Kincal, D.
—; Özkar, S.: Kinetic Study of the Reaction Between the Hydroxyl-Terminated Polybutadiene and Isophorone Diisocyanate in Bulk by Quantitative FTIR Spectroscopy, 1979
Kishore, K. See Ganesh, K., 2149
Klein, A. See Mohammed, S., 1869
Klug, J. H.
—; Seferis, J. C.: Model High-Performance Adhesive Systems, 1953
Knaul, J. Z.
—; Creber, K. A. M.: Coagulation Rate Studies of Spinnable Chitosan Solutions, 117
Komiya, Z. See Yoshida, Y., 367
Konar, B. B. See Sengupta, A., 1231
Kowalewski, T.
—; Ragosta, G.; Martuscelli, E.; Galeski, A.: Crystallization of Poly(ethylene oxide) in i-Polypropylene–Poly(ethylene oxide) Blends, 2047
Kozlowski, M.
—; La Mantia, F. P.: Study on Compatibilization of Polypropylene–Liquid Crystalline Polymer Blends, 969
Krabbenhoft, H. O.
—; Brunelle, D. J.; Pearce, E. J.: Two-Component Initiator Systems for the Ring-Opening Polymerization of Oligomeric Cyclic Bisphenol-A Carbonates. The *In Situ*

Cleavage of Disulfides by Triarylphosphines, 2251
Krishnamurthy, V. N. See Sekkar, V., 1795
Krishnamurti, N. See Samatha, P., 1419
Kuan, C.-Y. See Mi, F.-L., 2495
Kumaran, M. G. See Sreekala, M. S., 821
Kumar, R. A. See Labrecque, L. V., 1507; Sheth, M., 1495
Kumar, V. G. See Aravindakshan, P., 397
Kundu, P. P.
—; Bhattacharya, A. K.; Tripathy, D. K.: Rheological Properties of the Blends of Polychloroprene with Poly [ethylene(vinyl acetate)], 1759
Kuo, Y. M. See Jou, C. C., 981
Kurihara, S. See Nonaka, T., 209, 1621
Küsefoğlu, S. See Nugay, N., 1943
Kwei, T. K. See Chang, M.-J., 279

Laayoun, A. See Ferraton, N., 233
Labrecque, L. V.
—; Kumar, R. A.; Dave, V.; Gross, R. A.; McCarthy, S. P.: Citrate Esters as Plasticizers for Poly(lactic acid), 1507
Lacabanne, C. See Fois, M., 135
Lai, C.-C. See Lee, W.-F., 761
Lai. Y.-C.
Effect of Crosslinkers on Photocopolymerization of *N*-Vinylpyrrolidone and Methacrylates to Give Hydrogels, 1475
Lal, D. See Tripathi, V. S., 1613
La Mantia, F. P. See Kozlowski, M., 969
Lambla, M. See Graebling, D., 809
Lam, S.
—; Hellgren, A. C.; Sjöberg, M.; Holmberg, K.; Schoonbrood, H. A. S.; Unzué, M. J.; Asua, J. M.; Tauer, K.; Sherrington, D. C.; Montoya Goni, A.: Surfactants in Heterophase Polymerization: A Study of Film Formation Using Atomic Force Microscopy, 187
Lamure, A. See Fois, M., 135
Laoubi, S. See Feigenbaum, A., 597
Lappan, U.
—; Häußler, L.; Pompe, G.; Lunkwitz, K.: Thermal Stability of Electron Beam-Irradiated Polytetrafluoroethylene, 2287
Latha, R. See Ganesh, K., 2149
Laughner, M. K. See Marks, M. J., 1821
Laurens, P. See Mortaigne, B., 1703
Lazzeri, L. See Cascone, M.-G., 2089
LeBlanc, J. L.
A Molecular Explanation for the Origin of Bound Rubber in Carbon Black Filled Rubber Compounds, 2257
Lee, A. See Boynton, M. J., 271
Lee, D. S. See Yoon, T., 2233
Lee, H. See Kim, J., 1117
Lee, J. H.-J.
—; Chang, J.-C.; Hu, A. T.; Tsou, J.-D.: Woven Fabric-Elastomer Laminate. I. Thermal Analysis of Cure Characterization of Fluorocarbon Elastomer Coatings, 551
Lee, W.-F.
—; Chen, C.-F.: Poly(sulfobetaine)s and Corresponding Cationic Polymers. VII. Thermal Degradation of Copolymers Derived from Poly(Acrylamide *co-N,N*-Dimethylaminopropylmaleimide), 95
—; Lai, C.-C.: Investigation of the Compatibility for PVC Blend by Reduced Viscometeric Method, 761
—; Yeh, P.-L.: Superabsorbent Polymeric Materials. IV. Swelling Behavior of Crosslinked Poly[sodium acrylate-*co*-*N,N*-dimethyl(acrylamidopropyl) ammonium propane sulfonate] in Aqueous Salt Solution, 499
Lee, Y.-D. See Tsai, R.-S., 1411
Lee, Y. M. See Park, C.-K., 483
Lefrant, S. See Samir, F., 1839
Lehrfeld, J.
Cation Exchange Resins Prepared from Phytic Acid, 491
Lesser, A. J.
—; Crawford, E.: The Role of Network Architecture on the Glass Transition Temperature of Epoxy Resins, 387
Lewis, D. M.
—; Voncina, B.: Durable Press Finishing of Cotton with Polycarboxylic Acids. II. Ester Crosslinking of Cotton with Dithiosuccinic Acid Derivative of *S*-Triazine, 171
—; Voncina, B.: Durable Press Finishing of Cotton with Polycarboxylic Acids. I. Preparation of Thiosuccinyl-*s*-triazine, 1465
Lewis, D. M. See Stewart, K., 2359, 2365
Liang, B.
—; Pan, L.; He, X.: Structure and Properties of Blend Fibers from Poly(ethylene terephthalate) and Liquid Crystalline Polymer, 217
Liao, B.
—; Huang, Y.; Cong, G.: Influence of Modified Wood Fibers on the Mechanical Properties of Wood Fiber-Reinforced Polyethylene, 1561
Liaw, D.-J.
The Relative Physical and Thermal Properties of Polyurethane Elastomers: Effect of Chain Extenders of Bisphenols, Diisocyanate, and Polyol Structures, 1251
Li, G. See Fu, H., 1515
Li, K. See Wang, D., 837
Lim, W. W.
—; Mizumachi, H.: Influence of Rheological Properties of Adhesive Polymer on Strain Energy Release Rate of Mode II and Adhesive Shear Strength, 525
Lin, C.-T.
—; Liu, M.-C.: Study on Polymerization of Ethylenediaminetetraacetic Acid and Methyl Methacrylate, 2311

Lin, J. J.
—; Speranza, G. P.; Waddill, H. G.: Synthesis and Reactivity of Mannich-Derived Poly(oxyethylene) Amines as Epoxy Curing Agents, 2339
Lin, K.-F. See Denq, B.-L., 1855
Linossier, I.
—; Gaillard, F.; Romand, M.; Feller, J. F.: Measuring Water Diffusion in Polymer Films on the Substrate by Internal Reflection Fourier Transform Infrared Spectroscopy, 2465
Lin, Y.-S.
—; Yasuda, H. K.: Plasma Polymerization of Trimethylsilane in Cascade Arc Discharge, 1653
Liu, M.-C. See Lin, C.-T., 2311
Liu, S.
—; Yu, G.; Huang, B.: Polymerization of Ethylene by Zirconocene–$B(C_6F_5)_3$ Catalysts with Aluminum Compounds, 1715
Liu, W.-M. See Zhang, Z.-Z., 85
Liu, Y.
—; Yu, T.; Yao, H.; Yang, F.: PIXE Analysis of Silk (Note), 405
Liu, Y.-F. See Ma, Z.-L., 471
Liu, Z.
—; Brooks, B. W.: A Study of Inverse Dispersion Polymerization of Acrylic Acid Using Water-Soluble Redox Initiators, 2191
—; Hao, S.; Zheng, Y.; Zheng, P.; Zhao, Y.: Synthesis and Characterization of (3,4-Diphenyl-2,5-Diethyl)Phenyl–Polyvinyl Silicon Oils, 997
Li, W. See Du, C., 1405
Li, X.
—; Xiao, J.; Deng, X.; Jia, W.; Zhang, W.; Men, L.; Yang, Y.; Zheng, Z.: Preparation of Biodegradable Polymer Microspheres Encapsulating Protein with Micron Sizes, 583
Li, X.-G.
—; Huang, M.-R.: Multilayer Ultrathin-Film Composite Membranes for Oxygen Enrichment Membranes, 2139
—; Huang, M.-R.; Guan, G.-H.; Sun, T.: Synthesis and Characterization of Liquid Crystalline Polymers from P-Hydroxybenzoic Acid, Poly(Ethyleneterephthalate) and Third Monomers, 2129
Li, Z. M. See Yang, L. Q., 2457
Löfgren, B. See Malmberg, A., 35
López-González, M. M. C. See Callejo Cudero, M. J., 2409
Lourenço, V. L. See Dutra, R. C. L., 2243
Lubczak, J.
Synthesis of *s*-Triazine Polyetherols from Bis(methoxymethyl) melamine and Oxiranes, 423
Lucas, E. F. See Mansur, C. R. E., 1767
Lu, J.
—; Zhu, X.; Zhu, J.; Yu, J.: Microwave Radiation Solid-State Copolymerization in Binary Maleic Anhydride–Dibenzyl Maleate Systems, 129
Lunkwitz, K. See Lappan, U., 2287
Luo, G. S.
—; Niang, M.; Schaetzel, P.: Sorption and Pervaporation Separation of Ethyl Tert–Butyl Ether And Ethanol Mixtures Through a Blended Membrane, 1631
Luo, Y. See Wang, Y.-P., 755
Lu, X. See Yuan, X., 1521
Lyoo, W. S. See Han, S. S., 1583

Ma, C.-C. M.
—; Gu, J.-T.; Shauh, L.-H.; Yang, J.-C.; Fang, W.-C.: Bisphenol-A Polycarbonate/Polydimethylsiloxane Multiblock Copolymers. I. Synthesis and Characterization, 57
—; Gu, J.-T.; Fang, W.-C.; Yang, J.-C.; Tsai, L.-D.: Bisphenol-A Polycarbonate/Polydimethylsiloxane Multiblock Copolymers. II. Effects of Siloxane Oligomer Structure on the Properties of Copolymers, 67
Maeda, Y. See Nakayama, A., 741
Maekawa, M.
—; Ohmori, M.: Mixture Diffusion of Sulfonated Dyes into Cellulose Membrane. I. Application of Parallel Diffusion Model to Binary System of Acid Dyes with Small Affinity onto Cellulose, 2175
Ma, G. H.
—; Nagai, M.; Omi, S.: Synthesis of Uniform Microspheres with Higher Content of 2-Hydroxyethyl Methacrylate by Employing SPG (Shirasu Porous Glass) Emulsification Technique Followed by Swelling Process of Droplets, 1325
Ma, H. See Fu, H., 1515
Mai, K.
—; Huang, J.; Zeng, H.: Studies of the Stability of Thermoplastic-Modified Bismaleimide Resin, 1965
Maiti, S. See Ghosh, A. K., 683
Makuuchi, K. See Xu, Y., 113
Ma, L. See Du, C., 1405
Malmberg, A.
—; Löfgren, B.: The Production of Ethene/Propene/5-Ethylidene-2-Norbornene Terpolymers Using Metallocene Catalysts: Polymerization, Characterization and Properties of the Metallocene EPDM, 35
Mamleev, V. Sh.
—; Gibov, K. M.: Use of the Branching Theory in Approximation of Viscosity of the Thermoset: Phenol–Formaldehyde Resin and Boron Oxide, 319
—; See Gibov, K. M., 329
Manaure, A. C.
—; Morales, R. A.; Sánchez, J. J.; Müller, A. J.: Rheological and Calorimetric Evidences of the Fractionated Crystallization of iPP Dispersed in Ethylene/α-Olefin Copolymers, 2481
Mancarella, C. See D'Orazio, L., 2377
Mandrand, B. See Ferraton, N., 233

Mansur, C. R. E.
—; Oliveira, C. M. F.; Lucas, E. F.; González, G.: Phase Behavior of Aqueous Systems Containing Block Copolymers of Poly(ethylene oxide) and Poly(propylene Oxide), 1767
Manzur, A.
—; Cuamatzi, F.; Favela, E.: Effect of the Growth of *Phanerochaete chrysosporium* in a Blend of Low Density Polyethylene and Sugar Cane Bagasse, 105
Marchetti, E. See Galli, P., 1831
Marks, M. J.
—; Laughner, M. K.; Freeman, C. E.: Preparation, Analysis, and Properties of Benzocyclobutene-Terminated Polycarbonate–Polycarbonate Thermoplastic Alloys, 1821
Marquez, A.
—; Uribe, J.; Cruz, R.: Conductivity Variation Induced by Solvent Swelling of an Elastomer–Black Carbon–Graphite Composite, 2221
Martínez-Rico, M. A. See Nuño-Donlucas, S. M., 879
Martuscelli, E. See D'Orazio, L., 2377; Kowalewski, T., 2047
Marzocca, A. J.
—; Cerveny, S.; Raimondo, R. B.: Analysis of the Variation of Molecular Parameters of NR during Vulcanization in the Frame of the Conformational Tube Model, 1085
Mascia, L.
—; Hashim, K.: Compatibilization of Poly(vinylidene fluoride)/Nylon 6 Blends by Carboxylic Acid Functionalization and Metal Salts Formation. I. Grafting Reactions and Morphology, 1911
Mason, L. R.
—; Reynolds, A. B.: Standardization of Oxidation Induction Time Testing Used in Life Assessment of Polymeric Electric Cables, 1691
Masuoka, H. See Sato, Y., 141
Ma, Z.-L.
—; Zhao, W.-G.; Liu, Y.-F.; Shi, J.-R.: Intumescent Polyurethane Coatings with Reduced Flammability Based on Spirocyclic Phosphate-Containing Polyols, 471
McCarthy, S. P. See Labrecque, L. V., 1507; Sheth, M., 1495
McCormick, A. V. See Payne, J. A., 1267
McCormick, C. L. See Zhang, Z. B., 293, 307
McGill, W. J. See Gradwell, M. H. S., 1093
McRae, C. See Sirkecioglu, O., 663
Mehta, R. H.
—; Kalika, D. S.: Characteristics of Poly(ether ether ketone) Microporous Membranes Prepared via Thermally Induced Phase Separation (TIPS), 2347
Mendizábal, E. See Canché-Escamilla, G., 339
Meng, S.-S. See Wu, H.-S., 2021
Meng, Y. Z.
—; Hay, A. S.; Jian, X. G.; Tjong, S. C.: Synthesis of Novel Poly(phthalazinone ether sulfone ketone)s and Improvement of Their Melt Flow Properties, 1425
Men, L. See Li, X., 583
Menon, A. R. R. See Pillai, C. K. S., 2157
Metawe, F. M. See Fouda, I. M., 695
Mi, F.-L.
—; Her, N.-L.; Kuan, C.-Y.; Wong, T.-B.; Shyu, S.-S.: Chitosan Tablets for Controlled Release of Theophylline: Effect of Polymer–Drug Wet or Dry Blending and Anionic–Cationic Interpolymer Complex, 2495
Misra, M. See Samantaroy, S., 1485
Mizumachi, H. See Lim, W. W., 525
Mizutani, Y. See Nago, S., 1003
Mohamed, G. A. See Moustafa, A. B., 711
Mohammed, S.
—; Daniels, E. S.; Sperling, L. H.; Klein, A.; El-Aasser, M. S.: Isocyanate-Functionalized Latexes: Film Formation and Tensile Properties, 1869
Mohan, P.
—; Srivastava, A. K.: Synthesis and Characterization of Epoxy Resins Containing Bismuth, 1359
Mohanty, A. K. See Samantaroy, S., 1485
Montfort, J. P. See Nassiet, V., 179
Montoya Goni, A. See Lam, S., 187
Moon, K. S. See Choi, H. D., 477
Moon, T. J. See Choi, H. D., 477
Morales, R. A. See Manaure, A. C., 2481
Morsli, M. See Samir, F., 1839
Mortaigne, B.
—; Feltz, B.; Laurens, P.: Study of Unsaturated Polyester and Vinylester Morphologies Using Excimer Laser Surface Treatment, 1703
Mosebach, M.
—; Reichert, K.-H.: Adiabatic Reaction Calorimetry for Data Acquisition of Free-Radical Polymerizations, 673
Moustafa, A. B.
—; Abdel-Hakim, A. A.; Sayyah, S. M.; Mohamed, G. A.: Effect of Electrolyte on the Emulsifier-Free Emulsion Polymerization of Vinyl Acetate, 711
Mülhaupt, R. See Wörner, C., 633
Müller, A. J. See Manaure, A. C., 2481
Müller, P. See Wörner, C., 633
Mustafi, S. K. See Ghosh, A. K., 683
Myerson, A. S. See Chang, M.-J., 279

Nagai, M. See Ma, G. H., 1325
Nago, S.
—; Mizutani, Y.: Microporous Polypropylene Fibers Containing Poly(methylsilsesquioxane) Fillers. Interrelation Between Filler Particles and Fibrous Polypropylene Texture (Note), 1003
Nakajima, N.
—; Yamaguchi, Y.: Effect of

Fillers and Rubber Structures on Tensile Behavior of Filled, Unvulcanized Compounds of *cis*-1,4-Polybutadienes, 1445

Nakayama, A.
—; Kawasaki, N.; Maeda, Y.; Arvanitoyannis, I.; Aiba, S.; Yamamoto, N.: Study of Biodegradability of Poly(δ-valerolactone-*co*-L-lactide)s, 741

Nakayama, K. See Ketelaars, A. A. J., 921

Nanasawa, A.
—; Takayama, S.; Takeda, K.: Flexural Modulus and Molecular Motion of PPE and PC by Blending Low Molecular Weight Compounds, 19
—; Takayama, S.; Takeda, K.: Mobility Control and Modulus Change by the Interaction Between Low Molecular Weight Component and Aromatic Polymer Chain, 2269

Narkis, M. See Titelman, G. I., 2199; Zilberman, M., 243

Nassiet, V.
—; Cassagnau, P.; Allal, A.; Montfort, J. P.: Thermorheological Behavior of Polypropylene and Polycarbonate Inclusions in an Ethylene Copolymer Matrix, 179

Nelson, M. E. See Storey, R. F., 151

Neuse, E. W. See Caldwell, G., 911

Niang, M. See Luo, G. S., 1631

Nicho, M. E.
—; Saniger, J. M.; Ponce, M. A.; Huanosta, A.; Castaño, V. M.: Preparation and Properties of Poly(acrylic acid)-Based Hybrid Compounds, 861

Nie, L. See Chen, J., 563

Ninan, K. N. See Ganesh, K., 2149

Nonaka, T.
—; Hashimoto, K.; Kurihara, S.: Preparation of Thermosensitive Cellophane-*Graft*-*N*-Isopropylacrylamide Copolymer Membranes and Permeation of Solutes Through the Membranes, 209
—; Uemura, Y.; Ohse, K.; Jyono, K.; Kurihara, S.: Preparation of Resins Containing Phenol Derivatives from Chloromethylstyrene–Tetraethyleneglycol Dimethacrylate Copolymer Beads and Antibacterial Activity of Resins, 1621

Norton, E.
—; Cameron, R. E.: Effect of Hydrolytic Degradation on the Microstructure of Poly(glycolic acid): An X-ray Scattering and Ultraviolet Spectrophotometry Study of Wet Samples Ultraviolet, 1681

Nugay, N.
—; Küsefoğlu, S.; Erman, B.: Swelling and Static–Dynamic Mechanical Behavior of Mica-Reinforced Linear and Star-Branched Polybutadiene Composites, 1943

Nugroho, P. See Hirotsu, T., 1049

Núñez, L.
—; Taboada, J.; Fraga, F.; Núñez, M. R.: Kinetic Study and Time–Temperature–Transformation Cure Diagram for an Epoxy–Diamine System, 1377

Núñez, M. R. See Núñez, L., 1377

Nuño-Donlucas, S. M.
—; Díaz-Nájera, L. M.; González-Núñez, R.; Martínez-Rico, M. A.; Puig, J. E.: Ionomer Synthesis by Emulsion Polymerization of Styrene and Sodium Acrylate, 879

O'Connor, S. M.
—; Gehrke, S. H.: Synthesis and Characterization of Thermally-Responsive Hydroxypropyl Methylcellulose Gel Beads, 1279

Ogata, N.
—; Kawakage, S.; Ogihara, T.: Poly(vinyl alcohol)-clay and Poly(ethylene oxide)-clay Blends Prepared Using Water as Solvent, 573

Ogihara, T. See Ogata, N., 573

Ohara, T. See Donnelly, A., 989

Ohmori, M. See Maekawa, M., 2175

Ohse, K. See Nonaka, T., 1621

Okada, A. See Ikawa, T., 1569; Kato, M., 1781

Okubo, M.
—; Fukami, N.; Ito, A.: Effect of Molecular Weight on Preparation of Nanoparticles by Particle Dissolution Method from Submicron-Sized Ionized Styrene–Methacrylic Acid Copolymer Particles in Nonionic Emulsifier Solution, 1461

Oliva, S. See Curreli, N., 1433

Oliveira, C. M. F. See Mansur, C. R. E., 1767

Omi, S. See Ma, G. H., 1325

Otterburn, M. S. See Stewart, K., 2359, 2365

Özkar, S. See Kincal, D., 1979

Padget, J. D. See Hourston, D. J., 2035

Pakkanen, T. T. See Holopainen, T., 1183

Pande, C. S.
—; Gupta, N.: Copoly(styrene-divinylbenzene)-g-poly(maleic anhydride-styrene): Preparation Through Radiation Induced Grafting and Application in Organic Synthesis, 847

Pan, L. See Liang, B., 217

Papantoniou, Y. See Ketelaars, A. A. J., 921

Park, C.-K.
—; Choi, M.-J.; Lee, Y. M.: Chelate Membrane from Poly(vinyl alcohol)/Poly(*N*-salicylidene allyl amine) Blend. III. Effect of Mn(II) and Co(II) on Oxygen/Nitrogen Separation, 483

Park, C. R. See Youk, J. H., 1575

Park, D.
—; Keszler, B.; Galiatsatos, V.; Kennedy, J. P.: Amphiphilic Networks. XI. Mechanical Properties and Morphology, 901

Parker, A.
Synthesis and Properties of Poly(vinyl chloride-*co*-

trimethylolpropane monoallylether), 1603
Park, K. Y.
—; Park, S. H.; Suh, K.-D.: Improved Nylon 6/LDPE Compatibility Through Grafting of Isocyanate Functional Group, 2183
Park, S. H. See Park, K. Y., 2183
Park, Y.-J. See Ha, H.-J., 1899
Patel, S. H. See Reich, L. S., 891
Paternoster, M. See Burgisi, G., 777
Patra, M.
—; Sinha, B. K.: Polymerization of Methyl Acrylate Initiated by V(V)-Cyclohexanone Redox System in Micellar Phase, 2081
Paul, D. R. See Ruiz-Treviño, F. A., 1925
Pavithran, C. See Pillai, C. K. S., 2157
Payne, J. A.
—; Francis, L. F.; McCormick, A. V.: The Effects of Processing Variables on Stress Development in Ultraviolet-Cured Coatings, 1267
Pearce, E. J. See Krabbenhoft, H. O., 2251
Pears, D. See Hourston, D. J., 2035
Peduto, N. See Burgisi, G., 777
Pekcan, Ö.
—; Canpolat, M.: Fluorescence Method of Studying Void Closure Kinetics During Film Formation from High-T Latex Particles, 655
Peppas, N. A.
—; Am Ende, D. J.: Controlled Release of Perfumes from Polymers. II. Incorporation and Release of Essential Oils from Glassy Polymers, 509
Perlwitz, A. G. See Caldwell, G., 911
Petera, J. See Clarke, J., 1139
Pielichowski, J. See Bogdal, D., 2333
Pillai, C. K. S.
—; Prasad, V. S.; Menon, A. R. R.; Sudha, J. D.; Jayakumari, V. G.; Brahma Kumar, M.; Pavithran, C.; Tikku, V. K.; Pradhan, N, K.: A Comparative Evaluation of a Novel Flame Retardant, 3-(Tetrabromopentadecyl)-2,4,6-tribromophenol (TBPTP) with Decabromodiphenyloxide (DBDPO) for Applications in LDPE- and EVA-Based Cable Materials, 2157
Piorkowska, E.
Thermal Effects Due to Polymer Crystallization, 1015
Pistor, C.
—; Friedrich, K.: Scratch and Indentation Tests on Polyoxymethylene (POM), 1985
Pizzi, A.
—; Garcia, R.; Wang, S.: On the Networking Mechanisms of Additives-Accelerated Phenol–Formaldehyde Polycondensates, 255
Placinta, G.
—; Arefi-Khonsari, F.; Gheorghiu, M.; Amouroux, J.; Popa, G.: Surface Properties and the Stability of Poly(ethylene Terephtalate) Films Treated in Plasmas of Helium–Oxygen Mixtures, 1367
Pøikryl, J. See Akrman, J., 543
Pojman, J. A. See Chekanov, Y., 1209
Polacco, G. See Cascone, M.-G., 2089
Politano, D. P. See Da Silva, A. L. N., 2005
Polotskaya, G. A.
—; Agranova, S. A.; Antonova, T. A.; Elyashevich, G. K.: Gas Transport and Structural Features of Sulfonated Poly(phenylene oxide), 1439
Pompe, G. See Lappan, U., 2287
Ponce, M. A. See Nicho, M. E., 861
Popa, G. See Placinta, G., 1367
Pospiech, D. See Häußler, L., 2293
Pradhan, N, K. See Pillai, C. K. S., 2157
Prasad, V. S. See Pillai, C. K. S., 2157
Puig, J. E. See Canché-Escamilla, G., 339; Nuño-Donlucas, S. M., 879
Qian, J. W. See Yang, Y. S., 29
Qi, G. R. See Yang, Y. S., 29
Qiu, K. Y. See Huang, Z. H., 853
Quah, S. E. See Rao, S., 619

Radhakrishnan, G. See Tharanikkarasu, K., 1551
Ragosta, G. See Kowalewski, T., 2047
Rahman, M. See Ali, K. M. I., 1997
Raimondo, R. B. See Marzocca, A. J., 1085
Rainio, J. See Holopainen, T., 1183
Raju, K. V. S. N. See Haseebuddin, S., 1343
Rakshit, A. K. See Rangaraj, A., 45
Rangaraj, A.
—; Vangani, V.; Rakshit, A. K.: Synthesis and Characterization of some Water Soluble Polymers, 45
Rao, S.
—; Shim, V. P. W.; Quah, S. E.: Dynamic Mechanical Properties of Polyurethane Elastomers Using a Nonmetallic Hopkinson Bar, 619
Rathi, S. C. See Athawale, V. D., 1399
Rath, S. K.
—; Singh, R. P.: Flocculation Characteristics of Grafted and Ungrafted Starch, Amylose, and Amylopectin, 1721
Ray, A. R. See Singh, D. K., 869
Ray, G. S. See Ghosh, A. K., 683
Reichert, K.-H. See Mosebach, M., 673
Reich, L. S.
—; Patel, S. H.; Khorramian, B.: Spreadsheets in Copolymerization Studies, 891
Rescigno, A. See Curreli, N., 1433
Reynolds, A. B. See Mason, L. R., 1691
Ricco, T. See Yokoyama, Y., 1007
Rinaldi, A. C. See Curreli, N., 1433
Rizzo, A.-M. T. See Kharas, G. B., 1123

Robila, G.
—; Ivanoiu, M.; Buruiana, T.; Buruiana, E. C.: Sulfonated Polyurethane Anionomer–Polypyrrole Molecular Composite, 591
Rocha, M. C. G. See Da Silva, A. L. N., 2005
Rodrigues, J.
—; Schork, F. J.: Relative Shear Stability of Mini- and Macroemulsion Latexes, 1317
Rodriguez, F.
—; Acevedo, M. A.: A Bouncemeter for Measuring Resilience, 1787
—; Killian, P. D.: Dissolution Rates for Thin Films of Miscible Polymer Blends, 2015
Rodríguez-Trujillo, G. See Canché-Escamilla, G., 339
Rodríguez Fernández, O. S.
—; Gilbert, M.: Aminosilane Grafting of Plasticized Poly(vinyl chloride) I. Extent and Rate of Crosslinking, 2111
—; Gilbert, M.: Aminosilane Grafting of Plasticized Poly(vinyl chloride) II. Grafting and Crosslinking Reactions, 2121
Romand, M. See Linossier, I., 2465
Rosca, I. D.
—; Vergnaud, J. M.: Transfer of Contaminant into Solid Food from a Bottle Made of Bilayer Polymers with a Recycled and a Virgin Layer: Effect of the Thicknesses of These Polymer Layers, 1291
Ruiz-Treviño, F. A.
—; Paul, D. R.: Modification of Polysulfone Gas Separation Membranes by Additives, 1925
Russell, T. P. See Volksen, W., 199

Samantaray, B. K. See Sao, K. P., 2045
Samantaroy, S.
—; Mohanty, A. K.; Misra, M.: Removal of Hexavalent Chromium by Kendu Fruit Gum Dust, 1485
Samatha, P.
—; Krishnamurti, N.: Study on Polymerization of Methyl Methacrylate in Water–Solvent Mixtures, 1419
Samir, F.
—; Morsli, M.; Bernède, J. C.; Bonnet, A.; Lefrant, S.: X-ray Photoelectron Spectroscopy of Polybithiophene–Polystyrene Composites, 1839
Sánchez, J. J. See Manaure, A. C., 2481
Saniger, J. M. See Nicho, M. E., 861
Sanjust, E. See Curreli, N., 1433
Sao, K. P.
—; Samantaray, B. K.; Bhattacherjee, S.: Analysis of Lattice Distortions in Ramie Cellulose (Note), 2045
Saraceno, A. See Burgisi, G., 777
Saraydin, D. See Karadağ, E., 733
Satguru, R. See Hourston, D. J., 2035
Sato, Y.
—; Yamasaki, Y.; Takishima, S.; Masuoka, H.: Precise Measurement of the PVT of Polypropylene and Polycarbonate up to 330°C and 200 MPa, 141
Sayyah, S. M. See Moustafa, A. B., 711
Schaetzel, P. See Luo, G. S., 1631
Schmack, G.
—; Schreiber, R.; Veeman, W. S.; Hofmann, H.; Beyreuther, R.: Relation Between Molecular Orientation and Mechanical Properties in Differently Processed Polyamide 4.6/6 Textile Yarns, 377
Schoonbrood, A. S. See Unzué, M. J., 1803
Schoonbrood, H. A. S. See Lam, S., 187
Schork, F. J. See Rodrigues, J., 1317
Schreiber, R. See Schmack, G., 377
Seferis, J. C. See Klug, J. H., 1953
Sekkar, V.
—; Krishnamurthy, V. N.; Jain, S. R.: Kinetics Of Copolyurethane Network Formation, 1795
Sen, A. K. See Tripathi, V. S., 1613
Sengupta, A.
—; Konar, B. B.: Cure Characteristics of Ethylene Propylene Diene Rubber–Polypropylene Blends. I. Calculation of State of Cure in Blends Containing Conventional Sulfur Curing System Under Variable Time–Temperature Conditions, 1231
Seppälä, J. See Heino, M., 2209
Sgarzi, P. See Galli, P., 1831
Shauh, L.-H. See Ma, C.-C. M., 57
Sheng, J. See Yuan, X., 1521
Shen, N. See Yuan, X., 1521
Shen, W.-C. See Zhang, Z.-Z., 85
Sherrington, D. C. See Lam, S., 187; Unzué, M. J., 1803
Sheth, M.
—; Kumar, R. A.; Davé, V.; Gross, R. A.; McCarthy, S. P.: Biodegradable Polymer Blends of Poly(lactic acid) and Poly(ethylene glycol), 1495
Shiga, T. See Ikawa, T., 1569
Shi, J.-R. See Ma, Z.-L., 471
Shim, V. P. W. See Rao, S., 619
Shishoo, R. See Sigurdsson, S., 1591
Şhiner, N. See Güler, H., 2475
Shuai, X.
—; Tan, H.: Synthesis and Properties of Biodegradable Copolymers Based on Polyether Oligomers and Fatty Diacids, 1891
Shyu, S.-S. See Mi, F.-L., 2495
Siegmann, A. See Titelman, G. I., 2199; Zilberman, M., 243
Sigurdsson, S.
—; Shishoo, R.: Surface Properties of Polymers Treated with Tetrafluoromethane Plasma, 1591
Silva, J. L. G. See Dutra, R. C. L., 2243
Silvis, H. C. See Carriere, C. J., 1175

Simantirakis, J. See Kharas, G. B., 1123
Singha, N. K.
—; De, P. P.; Sivaram, S.: Homogeneous Catalytic Hydrogenation of Natural Rubber Using RhCl $(PPh_3)_3$, 1647
Singh, D. K.
—; Ray, A. R.: Radiation-Induced Grafting of *N,N'*-Dimethylaminoethylmethacrylate onto Chitosan Films, 869
Singh, R. P. See Rath, S. K., 1721
Sinha, B. K. See Patra, M., 2081
Sirkecioglu, O.
—; Andresen, J. M.; McRae, C.; Snape, C. E.: Synthesis and Structural Characteristics of Polycyclic Aromatic Hydrocarbon-Containing Phenol Formaldehyde Resites, 663
Siswono, H. See Xu, Y., 113
Sivakumar, R. See Sreenivasan, K., 2539
Sivaram, S. See Singha, N. K., 1647
Sjöberg, M. See Lam, S., 187; Unzué, M. J., 1803
Snape, C. E. See Sirkecioglu, O., 663
Soares, B. G. See Dutra, R. C. L., 2243
Sollai, F. See Curreli, N., 1433
Spedding, P. L. See Stewart, K., 2359, 2365
Speranza, G. P. See Lin, J. J., 2339
Sperling, L. H. See Mohammed, S., 1869
Spychaj, T. See Hunkeler, D., 1303
Sreekala, M. S.
—; Kumaran, M. G.; Thomas, S.: Oil Palm Fibers: Morphology, Chemical Composition, Surface Modification, and Mechanical Properties, 821
Sreenivasan, K.
—; Sivakumar, R.: Interaction of Molecularly Imprinted Polymers with Creatinine, 2539
Srivastava, A. K. See Mohan, P., 1359
Srivastava, A. P.
—; Depke, N.; Wolf, C. J.: Environmental Stress Deformation of Poly(ether ether ketone), 725
Srividya, C. See Visser, S. A., 409
Stähler, K. See Unzué, M. J., 1803
Stephan, M. See Kelnar, I., 555
Stewart, K.
—; Spedding, P. L.; Otterburn, M. S.; Lewis, D. M.: Surface Layer of Wool. I. Dityrosine Synthesis and Characterization, 2359
—; Spedding, P. L.; Otterburn, M. S.; Lewis, D. M.: Surface Layer of Wool. II. Dityrosine in Wool, 2365
Storey, R. F.
—; Nelson, M. E.: A Modified Glass Reactor for the Preparation of Linear and Star-Branched Block Copolymers via Living Anionic Polymerization, 151
Sudduth, R. D.
Development of Huggins' and Kraemer's Equations for Polymer Solution Evaluations from the Generalized Viscosity Model for Suspensions, 2319
Sudha, J. D. See Pillai, C. K. S., 2157
Suh, K.-D. See Park, K. Y., 2183
Sumana, G. See Agarwal, S., 267
Sun, T. See Li, X.-G., 2129
Su, W. See Iroh, J. O., 2433
Swanson, S. See Volksen, W., 199

Taboada, J. See Núñez, L., 1377
Takada, K. See Tanaka, K., 1079
Takayama, S. See Nanasawa, A., 19, 2269
Takeda, K.
—; Ishikawa, T.: Deformation of PS, PPE, and Their Alloys During Reversed Tension–Compression for Study on Fatigue Behavior, 2279
—; See Nanasawa, A., 19, 2269
Takishima, S. See Sato, Y., 141
Tanaka, K.
—; Akiyama, R.; Takada, K.: Electrorheological Effect of Anisotropic Solution of Poly(γ-benzyl-L-glutamate) Induced by Stepwise Electric Fields, 1079
Tan, H. See Shuai, X., 1891
Tasaka, S. See Inagaki, N., 77
Tauer, K. See Lam, S., 187
Tauer, K. See Unzué, M. J., 1803
Tavares, M. I. B. See Da Silva, A. L. N., 2005
Teo, W. K. See Wang, D., 837
Tharanikkarasu, K.
—; Radhakrishnan, G.: Tetraphenylethane Iniferters: Polyurethane–Polystyrene Multiblock Copolymers Through "Living" Radical Polymerization, 1551
Thomas, S. See Sreekala, M. S., 821
Tikku, V. K. See Pillai, C. K. S., 2157
Tinnemans, A. H. A. See Bruggeman, A., 1971
Titelman, G. I.
—; Zilberman, M.; Siegmann, A.; Haba, Y.; Narkis, M.: Thermal Dynamic Processing of Polyaniline with Dodecylbenzene Sulfonic Acid, 2199
—; See Zilberman, M., 243
Tjong, S. C. See Meng, Y. Z., 1425
Trifonova, D.
—; Drouillon, P.; Ghanem, A.; Vancso, G. J.: Morphology of Extruded High-Density Polyethylene Pipes Studied by Atomic Force Microscopy, 515
Tripathi, V. S.
—; Lal, D.; Aggarwal, S. K.; Sen, A. K.: Kinetic Studies on Bismaleimide Polymerization Using Inverse Gas Chromatography, 1613
Tripathy, A. R. See Kim, K. J., 1195
Tripathy, D. K. See Kundu, P. P., 1759
Tsaih, M. L. See Chen, R. H., 161
Tsai, L.-D. See Ma, C.-C. M., 67
Tsai, R.-S.
—; Lee, Y.-D.: Synthesis and Characterization of Block Copolyetheresters with Poly(tetramethylene 2,6-

naphthalenedicarboxylate) Segments, 1411
Tseng, H.-C. See Denq, B.-L., 1847
Tsou, J.-D. See Lee, J. H.-J., 551
Tucker, P. A. See Chen, J.-Y., 2441

Uemura, Y. See Nonaka, T., 1621
Ugbolue, S. C. O. See Uzomah, T. C., 1217
Unzué, M. J.
—; Schoonbrood, A. S.; Asua, J. M.; Goñi, A. M.; Sherrington, D. C.; Stähler, K.; Goebel, K.-H.; Tauer, K.; Sjöberg, M.; Holmberg, K.: Reactive Surfactants in Heterophase Polymerization. VI. Synthesis and Screening of Polymerizable Surfactants (Surfmers) with Varying Reactivity in High Solids Styrene–Butyl Acrylate–Acrylic Acid Emulsion Polymerization, 1803
—; See Lam, S., 187
Unzueta, E.
—; Forcada, J.: Modeling the Effect of Mixed Emulsifier Systems in Emulsion Copolymerization, 445
Uribe, J. See Marquez, A., 2221
Usuki, A. See Kato, M., 1781
Uzomah, T. C.
—; Ugbolue, S. C. O.: Time and Temperature Effects on the Ultimate Properties of Thermally Oxidized Polypropylene Films, 1217

Vancso, G. J. See Trifonova, D., 515
Vangani, V. See Rangaraj, A., 45
Van Zee, G.
—; De Graauw, J.: Determination of the Diffusivity in Elastomer Solutions by Batch Sorption Studies from a Dilute Liquid Phase, 347
Veeman, W. S. See Schmack, G., 377
Vergnaud, J. M. See Feigenbaum, A., 597; Rosca, I. D., 1291
Verma, S. K.
—; Gupta, S. K.: Modeling of Poly(amic Acid) and Polyimide Reactors, 2059
Visser, S. A.
—; Hewitt, C. E.; Fornalik, J.; Braunstein, G.; Srividya, C.; Babu, S. V.: Surface and Bulk Compositional Characterization of Plasma-Polymerized Fluorocarbons Prepared from Hexafluoroethane and Acetylene or Butadiene Reactant Gases, 409
Vogel, R. See Häußler, L., 2293
Volksen, W.
—; Hedrick, J. L.; Russell, T. P.; Swanson, S.: Imide–Dimethylsiloxane Block Copolymers: Design and Synthesis of a Permanent Buried Oxygen Ion Etch Barrier, 199
Voncina, B. See Lewis, D. M., 171, 1465

Waddill, H. G. See Lin, J. J., 2339
Waly, A. See Hebeish, A., 1029
Wang, C.-S.
—; Yang, R.-W.: Synthesis and Properties of Fluorine-Containing Polyimides, 609
Wang, D.
—; Li, K.; Teo, W. K.: Gas Permselection Properties in Silicone-Coated Asymmetric Polyethersulfone Membranes, 837
Wang, N. H. See Chen, W. C., 2103; Jou, C. C., 981
Wang, Q.
—; He, T.; Xia, P.; Chen, T.; Huang, B.: Cure Processing Modeling and Cure Cycle Simulation of Epoxy-Terminated Poly(phenylene ether ketone). I. DSC Characterization of Curing Reaction, 789
—; He, T.; Xia, P.; Chen, T.; Huang, B.: Cure Processing Modeling and Cure Cycle Simulation of Epoxy-Terminated Poly(phenylene ether ketone). II. Chemorheological Modeling, 799
—; He, T.; Xia, P.; Chen, T.; Huang, B.: Cure Processing Modeling and Cure Cycle Simulation of Epoxy-Terminated Poly(phenylene ether ketone). III. Determination of the Time of Pressure Application, 1745
—; He, T.; Xia, P.; Chen, T.; Huang, B.: Cure Processing Modeling and Cure Cycle Simulation of Epoxy-Terminated Poly(phenylene ether ketone). IV. Cure Cycle Simulation, 1751
Wang, R.-M. See Wang, Y.-P., 755
Wang, S. See Pizzi, A., 255
Wang. S. See Yang, W., 1455
Wang, X.
—; Yu, Y.: Rheology Modification of PVC Plastisols with Poly(butylene terephthalate)-*b*-Poly(tetramethylene glycol), 749
Wang, Y.
—; Wu, D.: Extrusion, Fiber Formation, and Characterization of Thermotropic Liquid Crystalline Copolyesters, 1389
Wang, Y.-P.
—; Luo, Y.; Wang, R.-M.; Yuan, L.: Synthesis and Fluorescence Properties of the Mixed Complexes of Eu(III) with Polymer Ligand and Thenoyl, 755
Watson, K. See Kharas, G. B., 1123
Wautier, H. See Graebling, D., 809
Wei, W. See Chen, J., 563
Wei, Y. See Huang, Z. H., 853
Wilkes, G. L. See Brandom, D. K., 1543; Dounis, D. V., 2395
Williams, G. See Hourston, D. J., 2035
Wolf, C. J. See Srivastava, A. P., 725
Wong, T.-B. See Mi, F.-L., 2495
Woodhams, R. T. See Kazayawoko, M., 1163
Wörner, C.
—; Müller, P.; Mülhaupt, R.: Toughened Poly(butylene

terephthalate)s and Blends Prepared by Simultaneous Chain Extension, Interfacial Coupling, and Dynamic Vulcanization Using Oxazoline Intermediates, 633
Wu, C. See Zhang, L., 2543
Wu, D. See Wang, Y., 1389
Wu, H.-S.
—; Jone, H.-C.; Meng, S.-S.: Thermal Stability and Deformation of Poly(acrylic acid)–Metal Oxides, 2021
Wu,Q. See Yang, W., 1455
Wu, Q. See Zhou, Z., 1227

Xiao, J. See Li, X., 583
Xia, P. See Wang, Q., 789, 799, 1745, 1751
Xie, M. See Fu, H., 1515
Xie, X.-M. See Kim, B. K., 1531
Xie, Z. M. See Yang, L. Q., 2457
Xue, Q.-J. See Zhang, Z.-Z., 85
Xu, H.-S. See Gu, Q.-C., 537
Xu, X.
—; Coleman, M. R.: Atomic Force Microscopy Images of Ion Implanted 6 FDA-pMDA Polyimide Films, 459
Xu, Y.
—; Siswono, H.; Yoshii, F.; Makuuchi, K.: Crosslinking of *Cis*-1,4-Polyisoprene Rubber By Electron Beam Irradiation, 113
Xu, Y. See Du, C., 1405
Xu, Z.
—; Yi, C.; Cheng, S.; Zhang, J.: Emulsifier-Free Emulsion Copolymerization of Styrene and Butyl Acrylate with Cationic Comonomer, 1

Yamaguchi, Y. See Nakajima, N., 1445
Yamamoto, N. See Nakayama, A., 741
Yamasaki, Y. See Sato, Y., 141
Yang, D. See Yan, S., 2029
Yang, F. See Liu, Y., 405
Yang, J.-C. See Ma, C.-C. M., 57, 67
Yang, L. Q.
—; Xie, Z. M.; Li, Z. M.: Studies on Coordination-Crosslinking of Soap-Free Polyacrylate Hydrosol and Metal Ion, 2457
Yang, R.-W. See Wang, C.-S., 609
Yang, S. L. See Yang, Y. S., 29
Yang, W.
—; Wu,Q.; Zhou, L.; Wang. S.: Styrene-*co*-Acrylonitrile Resin Modifications of PVC/CPE Blends, 1455
Yang, Y. See Li, X., 583
Yang, Y. S.
—; Qi, G. R.; Qian, J. W.; Yang, S. L.: Synthesis and Hydrolysis Study of Polyacrylates Containing 2′,5-Dichloro-4′-Nitrosalicylanilide, 29
Yan, S.
—; Yang, D.: Critical Crystallization Temperature for the Occurrence of Epitaxy Between High-Density Polyethylene and Isotactic Polypropylene, 2029
Yao, H. See Liu, Y., 405
Yao, S. See Chen, J., 563
Yaşar, M. See Gürdağ, G., 929
Yaseen, M. See Haseebuddin, S., 1343
Yasuda, H. K. See Lin, Y.-S., 1653
Yeh, J. T.
—; Fan-Chiang, C. C.: The Barrier, Impact, Morphology, and Rheological Properties of Modified Polyamides and their Corresponding Polyethylene–Modified Polyamide Blends, 2517
Yeh, P.-L. See Lee, W.-F., 499
Yi, C. See Xu, Z., 1
Yokoyama, Y.
—; Ricco, T.: Crystallization and Morphology of Reactor-Made Blends of Isotactic Polypropylene and Ethylene–Propylene Rubber, 1007
Yoon, L. K. See Kim, B. K., 1531
Yoon, T.
—; Kim, B. S.; Lee, D. S.: Structure Development via Reaction-Induced Phase Separation in Tetrafunctional Epoxy/Polysulfone Blends, 2233
Yoon, W. S. See Han, S. S., 1583
Yoshida, Y.
—; Goto, K.; Komiya, Z.: Preparation and Properties of Ester or Cyano Group Substituted Ring-Opening Polymers and Their Hydrogenated Derivatives, 367
Yoshii, F. See Xu, Y., 113
Youk, J. H.
—; Ha, W. S.; Jo, W.H.; Park, C. R.: Effect of Chemical Structure on Crystallization Behavior of Poly(phenylene alkylene dicarboxylate) (PPAD), 1575
Yuan, L. See Wang, Y.-P., 755
Yuan, X.
—; Sheng, J.; He, F.; Lu, X.; Shen, N.: Surface Modification of Acrylonitrile Copolymer Membranes by Grafting Acrylamide. I. Initiation by Ceric Ions, 1521
Yu, G. See Liu, S., 1715
Yu, J. See Lu, J., 129
Yu, T. See Liu, Y., 405
Yu, Y. See Wang, X., 749

Zeng, H. See Mai, K., 1965
Zeng, Z. See Zhang, L., 2543
Zhang, H. See Chen, J., 563
Zhang, J. See Xu, Z., 1
Zhang, L.
—; Zeng, Z.; Chen, Y.; Wu, C.; Gao, J.: Photoinitiated Copolymerization of Acrylamide and Styrene in Oil-in-Water Microemulsion, 2543
Zhang, W. See Li, X., 583
Zhang, X.
—; Bell, J. P.: The *In-Situ* Synthesis of Protective Coatings on Steel Through a Surface Spontaneous Polymerization Process, 1667
Zhang, Z. B.
—; McCormick, C. L.: Graft Copolymerization of Cellulose with Structopendant Unsaturated Ester Moieties in Homogeneous Solution, 307
—; McCormick, C. L.: Structopendant Unsaturated Cellulose Esters via Acylation in Homogeneous Lithium Chloride/*N,N*-Dimethylacetamide Solutions, 293
Zhang, Z.-Z.
—; Liu, W.-M.; Xue, Q.-J.; Shen, W.-C.: Friction and Wear Characteristics of PTFE

Composites Filled with Metal Oxides under Lubrication by Oil, 85
Zhao, W.-G. See Ma, Z.-L., 471
Zhao, Y. See Liu, Z., 997
Zheng, P. See Liu, Z., 997
Zheng, Y. See Liu, Z., 997
Zheng, Z. See Li, X., 583
Zhou, L. See Yang, W., 1455
Zhou, Z.
—; Wu, Q.: Studies on the Thermal Properties of Poly(phenylene sulfide amide), 1227
Zhu, J. See Lu, J., 129
Zhu, S. See Guo, H., 935; Hunkeler, D., 1303
Zhu, X. See Lu, J., 129
Zilberman, M.
—; Titelman, G. I.; Siegmann, A.; Haba, Y.; Narkis, M.; Alperstein, D.: Conductive Blends of Thermally Dodecylbenzene Sulfonic Acid-Doped Polyaniline with Thermoplastic Polymers, 243
—; See Titelman, G. I., 2199

Journal of Applied Polymer Science

Subject Index to Volume 66

Abrasion loss, 683
ABS/PMMA/PC ternary blends, 1531
Acetylation, 1433
Acid dyestuff, 1039
Acrylamide, 2543
Acrylamide-*N,N*-dimethylmakimidopropyl ammoniopropane sulfonate copolymer, 95
Acrylic acid, 929, 2191
Acrylonitrile copolymer (PAN), 1521
Acylation, 293
Additive, 543
Additive-accelerated PF resin polycondensations, 255
Additives, 1925
Adhesive, 1953
Adhesive tensile strength, 525
Adhesives, 525
Adiabatic anionic copolymerization, 1195
Adiabatic reaction calorimetry, 673
Admittance analysis, 563
Adsorption, 179
After-chroming, 1039
Aggregation, 233
Air-gap effect, 1067
Alkaline phenol–formaldehyde (PF) resins, 255
Alloy, 1821
Aluminium compound, 1715
Ambient curing latexes, 1869
Amine, 2339
Aminosilane, 2111, 2121
Amphiphilic networks, 901
Anionic polymerization, 151
Annealing, 1531
Antibacterial activity, 1621
Antiplasticizer, 2269
Apparent activation energy, 2529
Applying pressure, 1745
Aqueous media, 2475
Aqueous oxalic acid solution, 2433
Aqueous systems, 1767
Aromatic polyamides, 643
Asymmetric membrane, 1067
Atactic poly(methyl methacrylate), 2377
Atomic force microscopy, 187, 459, 515

Banded spherulites, 515
Barrier properties, 2517
Bashore, 1787
Batch experiments, 1485
Bearing strength, 1847
Benzene, 1639
Benzocyclobutene, 1821
Bilayer polymers, 1291
Bioartificial polymeric materials, 2089
Biodegradability, 1495
Biodegradable polyanhydrides, 1891
Biodegradable polymer, 741
Biodegradation, 1507
Bioresorbable bone cement composites, 1123
2,2-*bis*[4-(4-amino-2-trifluoromethylphenoxy)phenyl]-1,1,1,3,3,3-hexafluoropropane, 609
Bismaleimide, 1613, 1965
Bismuth, 1359
Bisphenol-A, 1251
Bisphenol-AF, 1251
Bisphenol-S, 1251
Bis(4-chorophenyl) sulfone, 1425
Bis(4-fluoro-phenyl) ketone, 1425
Blend, 2183
Blend compatibility, 761, 1759
Blended membrane, 1631
Blends, 217, 483, 555, 633, 761, 921, 969, 1231, 1455, 1495, 1531, 1731, 1773, 1885, 1911, 2005, 2015, 2047, 2089, 2293
Blends conductivity, 243
Block copolyetheresters, 1411
Block copolymer, 151
Block copolymers, 1767
Boron oxide, 319, 329
Bouncemeter, 1787
Bound rubber, 683, 2257
Boundary, 117
Branched PE/PP blends, 2481
Branching theory, 319
Breakup, 2191
Bromination, 1251
Bulk acoustic wave, 563

Capillary electrophoresis, 1465
Capillary rheometer, 1139
ε-caprolactam, 1195
Capsule, 161
Carbon black filled compounds, 2257
Carbon black modification, 683
Carbon blacks, 1885
Carbonization, 663
Carboxyl group, 1461
Carboxyl-terminated polybutadiene, 355
Carvone, 509
Cascade arc discharge, 1653
Cation-exchange resins, 491
Cationic functional comonomer, 1
Cellophane, 209
Cellulose, 293, 307, 339, 929, 1163
Cellulose ethers, 1279
Cellulose ion exchangers, 1029
Cellulose membrane, 2175
Ceric-ion-initiated solution polymerization technique, 1721
Cerium, 1399
Chain extender, 1251
Chain extension, 633
Chain transfer agents, 397
Characterization, 45, 57
Chelate membranes, 483
Chemical composition, 1591
Chemical modification, 1151, 1163
Chemorheology, 799
Chitosan, 117, 161
Chitosan films, 869
Chitosan tablets, 2495
Chlorinated polyethylene, 1455
Chloromethylstyrene–tetraethyleneglycol, 1621
cis-1,4-polybutadiene, 1445
cis-1,4-polyisoprene, 113
Citrate esters, 1507
Clay, 1781
Clustering function, 279
^{13}C-NMR, 377

^{13}C-nuclear magnetic resonance, 2409
^{60}Co gamma irradiation method, 869
Coagulation, 117
Coating, 563
Coating defects, 1267
Coating film, 2457
Coating stress, 1267
Coatings, 1667, 2433
Cold rolled polypropylene, 1237
Color fastness, 543
Compatibilization, 969, 2209
Compatibilizer, 2377
Compatibilizer precursor, 2517
Complex coacervation, 161
Composite, 799, 1745, 1751, 1943, 2221
Composite membrane, 1439
Composites, 339, 477, 591
Compounds, 861
Computer modeling, 1745
Condensation reaction, 1183
Conductive bilayer polymer films, 537
Contact angle, 1591
Contaminant, 1291
Convergent flow, 1139
Coordination polymer, 2457
Coordination-crosslinking, 2457
Copolymer, 45, 57, 67
Copolymerization, 129
Copolymerization parameters, 891
Copoly(styrene-divinylbenzene), 847
Copolyurethane networks, 1795
Core-shell morphology, 1899
Cotton fabrics, 1029
Coupling agent, 1039
Creatine, 2539
Creatinine, 2539
Creep compliance, 1603
Crosslink density, 1085
Crosslinker, 1475
Crosslinking, 255, 435, 935, 1367, 1583, 2111, 2121
Crystal lattice, 2045
Crystalline morphology, 105
Crystallinity, 225, 1681
Crystallization, 1007, 1015, 2029
CTPB, 355
CTPB network, 355
Cure characterization, 551
Cure cycle, 1745, 1751
Cure kinetics, 1795
Curing, 319, 563, 1377
Curing reaction kinetics, 789
Cyclohexene oxide, 2551

DCP, 1583
Deacetylation, 117
Deflection measurement, 1267
Deformation, 2021
Degradation, 105, 1691, 2149, 2287
Dental composites, 2333
Desalination, 643
Detection of residual strain, 1569
Dextran, 2089
Diazotization, 1433
2′,5-dichloro-4′-nitrosalicylanilide, 29
Dibenzyl maleate, 129
Diels–Alder reaction, 997
Differential scanning calorimetry, 789, 1399, 1613
Differential scanning calorimetry (DSC), 1377, 1773
Differential thermal analysis, 821
Diffuse reflectance, 1163
Diffuse reflectance infrared spectroscopy, 171
Diffusion, 117, 347
Diffusion properties, 435
Diffusivity, 2175
Diimide, 1151
Diisocyanate, 1979
Dimethacrylate copolymer beads, 1621
Dimethyl formamide, 1613
Dimethyldichlorosilane, 981
Dioctyl phthalate, 749
Diol dimethacrylates, 2333
3,4-diphenyl–2,5-diethylcyclopentadienone, 997
(3,4-diphenyl-2,5-diethyl)phenyl–polyvinyl silicon, 997
Diphenyl ether, 997
Dissolution rate, 2015
Dityrosine formation, 2359, 2365
Divinyl-ester resins, 1059
Doping, 2199
Drop coalescence, 2191
Dry blending, 2495
DSC, 377
Dyeing, 543
Dyeing fastness, 1039
Dynamic and static mechanical properties, 1943
Dynamic loss modulus, 2279
Dynamic mechanical analysis, 573, 1251
Dynamic mechanical behavior, 1899
Dynamic mechanical properties, 1059
Dynamic rheological measurements, 2481
Dynamic viscoelastic spectroscopy, 2269

Edge distance ratio, 1847
Elastomer coating, 551
Elastomeric membrane, 1117
Elastomers, 347
Electric, 2221
Electric cable, 1691
Electrical conductivity, 2199
Electrochemical polymerization, 591
Electrolytes, 711
Electron beam, 113
Electron beam irradiation, 2287
Electron spin resonance (ESR), 935
Electrorheology, 1079
Elongational viscosity, 1139
Emulsifier, 1461
Emulsifier-free emulsion copolymerization, 1
Emulsifier-free emulsion polymerization, 711
Emulsion blends, 1899
Emulsion copolymerization, 445, 879, 1803
Emulsion polymerization, 935, 1461
Encapsulation, 583
Energy dispersive X-ray analysis, 171
Environmental stress deformation, 725
Epitaxy, 2029
Epoxy, 1209, 1745, 1751, 1953
Epoxy coating, 1997
Epoxy curing, 2339
Epoxy resin, 789, 799
Epoxy resins, 387, 1359
Epoxy/polysulfone blend, 2233
Epoxy–Diamine System, 1377
Epoxy–ferrite composite, 477
Escherichia coli, 1621
Essential oil release, 509
Essential work of fracture, 2209
Esterification, 1163, 1891
ETBE, 1631
Ethanol, 1631
Ethene/propene/diene terpolymerization, 35
Ethylene, 1715
Ethylenediaminetetraacetic acid, 2311
Eugenol, 509
Eu(III), 755
EVA copolymers, 2243

EVA-based cable materials, 2157
Excimer, 1569
Excimer laser, 1703
Exciton migration, 1405
Expansion coefficient, 329

Fatigue, 2279
Fatty amine, 555
Fibers, 217, 695, 821, 989, 1003, 1561
Filled unvulcanized compounds, 1445
Filler, 1561
Filler particles, 1003
Fillers, 1445
Film formation, 187, 655
Film properties, 1803
Filmdrawing, 1971
Films, 1507
Fireproof polymer compositions, 329
Flame retardant, 2157
Flame-resistance mechanism, 471
Flammability, 471
Flex cracking, 683
Flexible slabstock polyurethane foams, 2395
Flexural modulus, 19, 2269
Flocculation behavior, 1721
Flow behavior, 1389
Fluorescence, 1405
Fluorine-containing polyimides, 609
Fluorocarbon elastomer, 551
Fluorocarbons, 409
Foamed thermoplastic polymers, 1543
Food packaging, 597
Formaldehyde-free durable press finishing, 171
Formulations, 1997
Fourier transform infrared (FTIR) spectroscopy, 1773
Fractionated crystallization, 2047, 2481
Fracture, 271
Fracture mechanics parameters, 1237
Fracture toughness, 777, 1953, 2209
Free volume, 1067
Free-radical polymerization, 673
Frontal curing, 1209
Frontal polymerization, 1209
FTIR spectroscopy, 1979
Fumarate polyesters, 1123
Functional polymers, 233

Gas permeability, 1117
Gas permeation, 837
Gas separation, 1925
Gas transport, 1439
Gel, 749
Gel synthesis, 1279
Gelatinization, 225
Generalized suspension viscosity equation, 2319
Glass fiber fabrics, 1039
Glass transition, 1059
Glass transition temperature, 367, 387
Glassy polymer films, 2465
Graft copolymerization, 307, 397, 929
Graft copolymers, 1721
Grafted polymer, 2183
Grafting, 869, 1399, 1521, 2111, 2121
Grafting functionalization, 1911
Grafting polymerization, 339

Heat buildup, 683
Heat generated, 2279
Heat of fusion, 1015
Heat treatment, 1217
Henequen (*Agave fourcroydes*), 339
Heterocoagulation, 1899
Heterogeneous aging, 435
Heterophasic copolymers, 1831
Hexamethyldisiloxane, 1049
Hexavalent chromium, 1485
He–O_2 mixtures, 1367
High melt strength, 809
High-density polyethylene (HDPE), 2029
High-performance fiber, 2441
High-speed spinning, 2441
High-T latex particles, 655
^{1}H-NMR, 1715
^{1}H-nuclear magnetic resonance, 2409
Hole size ratio, 1847
Homogeneous nucleation, 2047
Homogeneous solution, 307
Homopolymer, 45
Hopkinson-bar apparatus, 619
Horizontal ATR infrared spectroscopy, 1465
HTPB, 1979
Huggins' constant, 2319
Hybrid, 1781
Hybrid composites, 271
Hybrid organic–inorganic materials, 861
Hydrogel, 733
Hydrogels, 267, 1279, 1475

Hydrogen bonding, 279
Hydrogenation, 151, 367, 1151, 1647
Hydrolysis, 29, 741
Hydrolytic degradation, 1681
Hydrophilic, 77, 1353
Hydrophobic, 77
Hydrophobicity, 1591
Hydrosilylation, 1117

Imide–siloxane multiblock copolymers, 199
Immobilization, 233, 1433
Impact enhancement, 777
Infrared, 1399
Insulation, 1691
Interaction, 733
Intercalation, 573, 1781
Interfacial adhesion, 633
Interfacial tension, 1175
Intrinsic viscosity, 2319
Intumescence, 329
Intumescent polyurethane coatings, 471
Inverse dispersion polymerization, 2191
Inverse gas chromatography, 1613
Inverse suspension polymerization, 499
Ion exchange, 1029
Ionic associations, 1911
Ionic conductor, 537
Ionic exchange, 543
Ionizing radiation, 1911
Ionomer, 1439, 2035
Ionomers, 879
IPDI, 1979
Iron–arene complexes, 2551
Irradiation, 1515
Isocyanate group, 2183
Isotactic polypropylene, 1015, 2377
Isotactic polypropylene (iPP), 1101, 2029
Isothermal crystallization, 1575

Kendu fruit gum dust, 1485
Kinetics, 1795, 1979, 2529
Kinetics of polyesterification, 2409
Kinetics of polymerization, 397
Kraemer's constant, 2319

Lamellae, 1681
Laser degradation, 1515
Latex, 187
Latex stability, 1803

Latexes, 1317
Lattice distortions, 2045
LDPE-based cable materials, 2157
Ligand, 755
Light scattering, 1303
Lignins, 1731
Limonene, 509
Linear and star-branched polybutadiene, 1943
Liner, 355
Liquid crystalline polymer (LCP), 217
Liquid crystalline polymers, 2129
Liquid crystals, 1079
Liquid elastomers, 271
Liquid-crystalline, 1971
Lithium, 209
Lithium chloride (LiCl)/dimethylacetamide (DMAc) homogeneous solutions, 293
"Living" radical polymerization, 1551
L-lactide, 741
LOI, 1251
Lüpke, 1787

Macroemulsion latexes, 1317
Maleated polypropylene, 1163
Maleic anhydride, 129
Maleimide monomer, 2507
Maleimides, 891
Mannich, 2339
Mathematical modeling, 445
Mechanical properties, 161, 901, 1059, 1971
Mechanical work, 2279
Mechanism, 2311
Mechanism of polyesterification, 2409
Melamine derivatives, 423
Melting temperature, 1575
Membrane, 1353
Membrane formation, 1067
Membranes, 483, 837, 1521, 2139, 2347
Metal oxides, 85, 2021
Metal surfaces, 1667
Metallocene catalyst, 35
Metallocene EPDM, 35
Metallocenes, 1831
Metathesis, 367
Methacrylic acid, 1399
Methyl acrylate (MA) polymerization, 2081
Methyl methacrylate, 891, 1419, 2311, 2377
Methyl methacrylate (MMA), 339
Methyl/benzene interaction, 19
Methyl-polyvinyl silicon oil, 997
Mica reinforcement, 1943
Microindentation, 1985
Microporous polypropylene (PP) hollow fibers, 1003
Microsphere, 1461
Microspheres, 583, 1325
Microstructure, 1703, 2311
Microwave, 129
Miniemulsion latexes, 1317
MIR-FTIR spectroscopy, 2465
Miscibility, 2089
Mixture diffusion, 2175
Model and simulation, 789, 799, 1751
Modified polyamide, 2517
Modulus, 1603
Molecular dynamics, 19
Molecular transport, 717
Molecular weight characterization, 1303
Molecular-level composite, 591
Molecularly imprinted polymer, 2539
Montmorillonite, 573, 1781
Morphology, 515, 901, 1007, 1703, 1899, 1953, 2209, 2233, 2293, 2395
2-(4-morphoooinothio)- and 2-(morpholinodithio)-benzothiazole, 1093
Multiblock copolymers, 2293
Multilayer ultrathin-film composite membranes, 2139

Nanoparticles, 1461
Natural rubber (NR), 1647
NBR/LDPE, 1639
N-bromosuccinimide, 847
Network architecture, 387
N-hydroxysuccinimide, 847
Nicotine, 733
N-isopropylacrylamide, 209
NMR, 1603
Novel graft copolymer, 2377
NR vulcanizates, 1085
Nucleation, 445
Nylon 6, 555, 1911
Nylon 6–rubber blend, 777
Nylon-6 fibers, 695

O_2/N_2, 1117
Odd–even effect, 1575
Oil, 997
Oil lubrication, 85
Oil palm fiber, 821
Oil-in-water microemulsion, 2543
Olefin terpolymerization, 35
Oleophobicity, 1591
Oligodeoxyribonucleotides, 233
Oligomer, 1781
Oligomers, 199
Oligourethane diols, 1343
One-point method, 1303
Optical anisotropy, 695
Organic liquids, 717
Organic phosphorous compound, 19
Orientational order parameter, 377
Orifice method, 161
Oxidation, 1367
Oxidation induction time (OIT), 1691
Oxidation profile, 435
Oxidative plasma etching, 1049
Oxiranes, 423
Oxygen, 981
Oxygen enrichment, 2139
Oxygen in water and air, 959

PA 4.6/6-fibers, 377
PA6/PP blend, 2209
Packing fraction, 2319
Palierne's model, 179
Parallel transport theory, 2175
Particle size, 777, 2543
Particle size distribution, 445
Particle (solute) interaction coefficient, 2319
Particles, 935
PEEK, 1847
PEG–diamine, 1195
Pendant group reactivity, 307
Permanent buried oxygen ion etch barrier, 199
Permeability, 477
Permeation, 209
Peroxide, 77
Pervaporation, 1631
Phase behavior, 2293
Phase diagram, 2233
Phase inversion, 1067
Phenol derivatives, 1621
Phenolic resins, 663
Phenol–formaldehyde resin, 319, 329, 1183
Photocopolymerization, 1475
Photoinitiated copolymerization, 2543
Photoinitiation, 1267
Photopolymerization, 2551
Phthalazinone, 1425
Phthalic ester, 19
P-Hydroxybenzoic acid, 2129
Physical properties, 113, 2395
Phytic acid, 491

Pipe extrusion, 515
Plasma graft copolymerization, 77
Plasma polymer, 1049
Plasma polymerization, 409, 1653
Plasma treatment, 1591
Plasma variables, 1653
Plastic work of fracture, 2209
Plasticizers, 1507
PLA–PEG, 583
Pollutant, 597
Polyacrylamide, 45
Poly(acrylamide/itaconic acid), 733
Polyacrylates, 29
Polyacrylic acid, 45
Poly(acrylic acid), 279, 2089
Poly(acrylic acid) (PAA), 2021
Poly(alkylene terephthalates), 1575
Poly(amic acid), 609, 2059
Polyaniline, 243, 2095, 2199
Polyaspartamide, 911
Polybithiophene–polystyrene composite, 1839
Polyblend fiber, 2243
Poly(butylene terephthalate)-*b*-poly(tetramethylene glycol), 749
Polycaprolactone diol, 1251
Polycarbonate, 57, 67, 141, 1821, 2269
Polycarboxylic acid, 171
Poly(carboxylic acid), 1465
Polycondensation, 1891
Polycyclic aromatic hydrocarbons, 663
Polydimethylsiloxane, 57, 67
Polyepoxy matrix composite, 135
Polyester, 741, 2409
Polyesterification, 2409
Poly(ether ether ketone), 2347
Poly(ether ether ketone) (PEEK), 725
Polyetherols, 423
Polyethylene, 515
Poly(ethylene glycol), 1495
Poly(ethylene oxide), 573, 1767, 2047
Poly(ethylene oxide) grafts, 911
Poly(ethylene oxide)-*block*-polysulfone, 1353
Poly(ethylene terephtalate), 1367
Poly(ethylene terephthalate), 2441
Poly(ethyleneterephthalate), 2129
Polyfunctional monomer, 113
Poly(glycolic acid), 1681
Polyhydroxyethers, 1971
Polyimide, 2529
Polyimide films, 459
Polyimide reactors, 2059
Polyisoprene, 1093
Poly(lactic acid), 1495, 1507
Polymer blend, 179
Polymer complex, 1405
Polymer composites, 1163
Polymer films, 1997
Polymer light conduits, 2103
Polymer solutions, 347, 1079
Polymeric, 2221
Polymeric adsorbent, 2475
Polymeric drug carriers, 911
Polymerizable surfactant, 187
Polymerizable surfactant (surfmer), 1803
Polymerization, 1715
Polymerization kinetics, 1613
Polymerization shrinkage, 2333
Polymer–drug powders, 2495
Polymer–filler interactions, 1885
Polymer–polymer miscibility, 1773
Polymer–solvent interaction, 1439
Polymethacrylic acid, 397
Poly(methyl iodide quaternized acrylamide-*N,N*-dimethylaminopropylmaleimide), 95
Poly(methyl methacrylate), 1303, 1855, 2015
Poly(*N*-vinylcarbazole), 1569
Poly(*N*-vinyl-2-pyrrolidone), 279
Polyolefin elastomer, 1175, 2005
Polyolefins, 1831
Polyoxyethylene, 2339
Polyoxymethylene, 1985
Polyoxypropylene, 2339
Poly(phenylene ether ketone), 789, 799, 1751
Poly(phenylene sulfide amide), 1227
Polyphenylene-ether, 19
Polyphenylene–ether, 2269
Poly(phthalazinone ether sulfone ketone), 1425
Poly(*p*-hydroxystyrene), 2015
Poly(*p*-phenylene dicarboxylates), 1575
Polypropylene, 141, 1049, 1175, 2005, 2047, 2243
Polypropylene blends, 1007
Polypropylene fiber, 543
Polypropylene Films, 1217
Poly(propylene oxide), 1767
Polypropylene–liquid crystalline polymer blends, 969
Polypyrrole coatings, 2433
Polysilane, 1515
Polystyrene, 1303
Polystyrene-*co*-acrylic acid, 1303
Polysulfide polymers, 2149
Polysulfone, 1925, 2293
Poly(tetrafluoroethylene), 77
Polytetrafluoroethylene (PTFE), 2287
Poly(tetramethylene 2,6-naphthalenedicarboxylate), 1411
Poly(tetramethylene oxide), 1411
Polyurethane, 1979, 2035
Polyurethane elastomer, 619
Polyurethane elastomers, 1251
Polyurethane–vinyl block copolymers, 1551
Poly(vinyl alcohol), 573, 1433
Poly(vinyl alcohol)/poly(*N*-salicylidene allyl amine), 483
Polyvinyl chloride, 1455
Poly(vinyl chloride), 1603
Poly(2-hydroxyethyl methacrylate), 267, 509
Poly(ε-caprolactone)–polycarbonate (PCL–PC) blends, 921
Poly(γ-benzyl-L-glutamate, 1079
Potato starch, 225
PP/PE blends, 809
Pralidoxime chloride, 267
Processability, 67
Profilometry, 1703
Propagating fronts, 1209
Properties, 67
Propylene ester phosphazene, 1855
Protein, 583
Proton-induced X-ray emission (PIXE), 405
PTFE composites, 85
PTMG, 1251
PVC, 2111, 2121
PVC plastisol, 749
PVDF, 1911
PVT, 141

Quantitative ^{13}C-NMR spectroscopy, 1183

Radiation crosslinking, 113
Ramie cellulose, 2045
Rare earth, 1405
Rate constants, 2529
γ-rays initiated grafting, 847
RBS/FRS, 409
Reaction kinetics, 929

Reaction-induced phase separation, 2233
Reactive blending, 1971
Reactive compatibilization, 2183
Reactive extrusion, 809, 2517
Reactive surfactant, 187
Reactor granule technology, 1831
Rebound, 1787
Recycled polymers, 597
Recycled solid rubber, 271
Redox initiation, 397
Redox initiators, 2191
Reduced viscometeric method, 761
Relative positive deviation, 1759
Relative viscosity, 2319
Relaxation spectra, 1101
Release, 161
Replication phenomenon, 1831
Resilience, 1787
Resins, 491, 1621
Resist materials, 2507
Reverse osmosis, 643
$RhCl(PPh_3)_3$ catalyst, 1647
Rheological properties, 1425
Rheology modifier, 749
Rigid poly(vinyl chloride) (PVC) compound, 1731
Ring-opening polymerization, 367, 2251
Rubber, 1139, 1151
Rubber cavitation, 777
Rubber composite, 551
Rubber phases, 1231
Rubber structures, 1445

Saline solutions, 499
SBS polymer, 1117
Scanning electron microscopy, 821, 1703
Scanning electron microscopy (SEM), 1653
β-scission, 809
Sclerometer, 1985
Scratch test, 1985
Sebacoyl chloride, 1891
SEBS elastomer, 853
Second virial coefficient, 1303
Secondary crystallization, 921
Secondary dielectric relaxations, 135
Semi-interpenetrating polymer networks, 1965
Shear and dynamic extensional viscosity, 1759
Shear stability, 1317
Shirasu porous glass (SPG) emulsification technique, 1325
Short-chain branching, 1175
Silica-silicone rubber mixtures, 2257
Silicone-coated polyethersulfone (PESf) asymmetric hollow-fiber membranes, 837
Silk, 405
Siloxane-based polyurethane ionomer, 981
Simha-Somcynsky EOS, 141
Size, 583
Si—O structure, 1049
Soap-free hydrosol, 2457
Sodium acrylate, 879
Sodium vinylsulfonate, 77
Solutions, 2319
Solvent diffusion, 563, 2095
Solvents, 2221
Sol–gel process, 853
Sorption, 733
Sorption-desorption gravimetric method, 717
Spinning, 1389
Spirocyclic phosphate containing polyols, 471
Spreadsheet, 891
Stability, 1965
Stainless steel, 2433
Staphylococcus aureus, 1621
Star polymer, 151
Starch, 1399
Starch-based LDPE, 959
Starch-filled LDPE, 959
Steady-state fluorescence, 1569
Stimulation, 435
Storage modulus, 1583
Strain energy release rate, 525
Strain rate, 1237
Stress-relaxation behavior, 1101
Striation, 2279
s-triazine rings, 423
Structural analysis, 2409
Structure, 67
Structure/properties relationship, 809
Structure–property relations, 2035
Styrene, 879, 2543
Styrene copolymers, 1059
Styrene/butadiene, 151
Styrene-*co*-acrylonitrile resin, 1455
Styrene–butadiene rubber, 1151
Succinic anhydride, 1891
Sulfonated dyes, 2175
Sulfonated poly(phenylene oxide), 1439
Sulfur curing system, 1231
Surface analysis, 2243
Surface coating, 1997
Surface energy, 1591
Surface modification, 77, 1521
Surface spontaneous polymerization process, 1667
Surface stability, 1367
Surface tension, 409
Surface treatment, 1703
Surface-treated, 1039
Surfactant system, 445
Suspension polymerization, 1279
Suspension viscosity, 2319
Suspensions, 2319
Swelling, 267, 499, 1085, 1325, 1639, 2221, 2475
Swelling behavior, 1943
Swelling-controlled release systems, 509
Synthesis, 29, 45, 57, 1803

Taut–tie molecules, 2441
Temperature, 1237
Tensile behavior, 1445
Tensile properties, 1869
Tetrabutyl titanate, 853
Tetraethoxysilane, 853
Tetrafluoromethane, 1591
Tetraphenylethane iniferters, 1551
TGA, 1485
Thenoyl, 755
Theophylline, 2495
Thermal analysis, 471, 891, 1953
Thermal decomposition kinetics, 1227
Thermal degradation, 95, 2149
Thermal degradation kinetics, 1855
Thermal imidization, 2529
Thermal polymerization, 2103
Thermal process, 2199
Thermal property, 1583
Thermal stability, 367, 1603, 2021, 2287
Thermal transition behavior, 1227
Thermally induced elongation, 989
Thermally induced phase separation, 2347
Thermally oxidized polypropylene (PP) films, 1217
Thermally responsive gels, 1279
Thermogravimetic analysis, 1399
Thermogravimetry, 821
Thermomechanical analysis (TMA), 255
Thermoplastic elastomer, 1151

Thermoplastic polymeric foams, 1543
Thermoplastic polymers, 243
Thermoplastics, 1965
Thermosensitive membrane, 209
Thermosensitive paper, 2047
Thermotropic aromatic liquid crystalline (LC) polyesters, 1389
Thiosuccinyl-*s*-triazine derivative, 171
Third monomers, 2129
Third phase, 2441
Threadline dynamics, 2441
Tie chains, 1681
Time-resolved fluorescence, 1569
Time–temperature–transformation (TTT) isothermal cure, 1377
TMI, 1869
Toluene diisocyanate index, 2395
Total impact energy, 2517
Toughened epoxy, 271
Transition, 901
Transmission electron microscopy (TEM), 1
Transparent resin, 367
Treatment stability, 1591
Triarylphosphine, 2251
Trimethylolpropane monoallylether, 1603
Trimethylsilane (TMS), 1653
Tube model, 1085
Two-component initiator system, 2251

UHMW PE gel film, 1583
Ultra low density polyethylene, 2481
Ultrasonic measurements, 377
Ultraviolet curing, 1267
Unsaturated carboxylic acids, 293
Unsaturated polyester, 1703
Unsaturated propylene, 2377
Uranium, 2475
UV curing polymerization, 2103
UV radiation, 11, 1997

δ-valerolactone, 741
Van der Waals interaction, 179
Very low density polyethylene, 2481
Vinylester, 1703
Viscoelasticity, 179
Viscosity, 1343
Viscosity kinetic isotherms, 319
Viscosity ratio, 2517
Viton fluoropolymers, 717
Void closure, 655
Volumetry, 2409
Vulcanization, 633
V(V)-cyclohexanone redox system, 2081

Water diffusion, 2465
Water diffusion in glassy and rubbery polymers, 279
Water-borne coating, 2457
Water–solvent mixtures, 1419
Wear rate, 1985
Wet, 1681
Wet blending, 2495
Wet blue leather surface, 11
Wood coating, 1997
Wood fiber, 1163, 1561
Wool, 2359, 2365
Woven fabric laminate, 551

Xerogels, 499
XPS, 409
X-ray diffraction, 1399
X-ray photoelectron spectroscopy, 1591
X-ray photoelectron spectroscopy (XPS), 1653, 1839
X-ray scattering, 573

Zirconocene, 1715
Zone drawing, 1583